

museumdat – Harvesting Format for Providing Core Data from Museum Holdings

1.0

This document corresponds to XML Schema Definition
[museumdat-v1.0.xsd](#)¹

Fachgruppe Dokumentation im Deutschen Museumsbund
Institut für Museumsforschung SMB-PK
Zuse-Institut Berlin

¹<http://www.museumsbund.de> Æ Fachgruppe Dokumentation Æ Arbeitsgruppen Æ Datenaustausch
<http://museum.zib.de/museumdat/museumdat-v1.0-en.pdf>
<http://museum.zib.de/museumdat/museumdat-v1.0.xsd>

museumdat – Harvesting Format for Providing Core Data from Museum Holdings

1.0

Regine Stein (Zuse-Institut Berlin – ZIB), Axel Ermert (Institut für Museumsforschung SMB-PK – IfM), Jürgen Gottschewski (ZIB), Monika Hagedorn-Saupe (IfM), Regine Heuchert (Landesmuseum für Technik und Arbeit Mannheim), Hans-Jürgen Hansen (Schloß Gottorf), Angela Kailus (Bildarchiv Foto Marburg), Carlos Saro (ZIB), Regine Scheffel (Hochschule für Technik, Wirtschaft und Kultur Leipzig), Gisela Schulte-Dornberg (Kulturamt der Landeshauptstadt Düsseldorf), Jörn Sieglerschmidt (Bibliotheksservicezentrum Baden-Württemberg), Axel Vitzthum (digicult Schleswig-Holstein)

Introduction

This document describes the harvesting format museumdat which serves for providing core data from different collection contexts in common portals sometimes transcending the mere museum context. *museumdat* is a generalization of the format CDWA Lite - a harvesting format primarily for data from the fine arts - which was developed by the J Paul Getty Trust together with ArtSTOR.² The generalization serves for applicability of the harvesting format to further object classes and has been developed by courtesy and in cooperation with the J Paul Getty Trust. An XSLT Transformation is also available for converting of museumdat-data of fine art objects to CDWA Lite and vice versa. OAI harvester can thus be served by both formats without any further efforts.

museumdat is structured into 5 principal categories of documentation³, furthermore important is the distinction of presentation elements (II. Identification; III. Description) and indexing elements (I. Classification; IV. Events; IV. Relations). These latter are optimized for retrieval purposes. The elements shall absolutely be used redundantly.

² J. Paul Getty Trust, College Art Association, Inc., ARTstor: CDWA Lite: XML Schema Content for Contributing Records via the OAI Harvesting Protocol (Version 1.1). Download:
http://www.getty.edu/research/conducting_research/standards/cdwa/cdwalite.html

For all elements in the documentation the corresponding CDWA Lite element is indicated. The reference to the CDWA Lite element applies to all sub-elements unless otherwise noted. Sometimes the description has been revised with the objective to clarify it. Wherever there is a difference between museumdat and CDWA Lite element this difference is explained in a footnote – except if only the added attributes *imported*, *encodinganalog*, *label*, *xml:lang* (see description of I.1.1. Object/Work Type for explanation) are the difference. Note also that not all required elements of CDWA Lite are also required in museumdat because of the broader focus of the format.

³ According to the CIDOC CRM Core Metadata Element Set
<http://cidoc.ics.forth.gr>
http://cidoc.ics.forth.gr/working_editions_cidoc.html#crm_core

For a number of elements, the description note contains a reference to authoritative vocabulary⁴ which is instrumental for controlling the data contents – but using controlled vocabulary is not a necessary prerequisite for using this present format. More information, and assistance, concerning the use of controlled vocabulary is provided under www.museumsvokabular.de, especially the vocabularies listed there should be noted.

The WG Data Exchange of the German Museum Association (DMB) welcomes and appreciates suggestions and contributions deriving from the practical application of the format.⁵

⁴ The following vocabularies are referred to by their respective abbreviations:

museumsvokabular.de:

See the vocabularies offered for download on the platform

<http://museum.zib.de/museumsvokabular/index.php?main=download> (free for use, under the CreativeCommons Licence)

AAT: Arts and Architecture Thesaurus (payable, not in German language)

AKL: Allgemeines Künstlerlexikon (Universal dictionary of artists, payable)

GKD: Gemeinsame Körperschaftsdatei (Common Authority File on Corporate Names, see the German National Library, requires licensing)

IconClass: subject-specific classification system

(see <http://www.iconclass.nl> and <http://www.iconclass.nl/libertas/ic?style=index.xsl>, freely usable)

PND: Personennamendatei (Name Authority File, see the German National Library, requires licensing)

SWD: Schlagwortnormdatei (Subject Headings Authority File, see the German National Library, requires licensing)

TGN: Thesaurus of Geographical Names (requires licensing)

⁵ Contact: Regine Stein – Sprecherin AG Datenaustausch / FG Dokumentation im Deutschen Museumsbund, <http://www.museumsbund.de/cms/index.php?id=342&L=0> | <mailto:stein@zib.de>

ÜBERSICHT EINFÜGEN

museumdat: Elemente

Introduction.....	2
Wrapper for the whole document.....	8
Wrapper for one object.....	8
Descriptive Metadata:.....	8
I. Element: Object Classification Wrapper.....	8
I.1. Element: Object/Work Type Wrapper.....	8
I.1.1. Sub-element: Object/Work Type.....	8
I.2. Element: Classification Wrapper.....	10
I.2.1. Sub-element: Classification.....	10
II. Element: Identification Wrapper.....	11
II.1. Element: Title or Object Name Wrapper.....	11
II.1.1. Sub-element: Title or Object Name Set.....	11
II.1.1.1. Sub-element: Title or Object Name.....	11
II.1.1.2. Sub-element: Source of Title or Object Name.....	12
II.2. Element: Inscriptions and other Marks Wrapper.....	13
II.2.1. Sub-element: Inscriptions and other Marks.....	13
II.3. Element: Custody/Repository Location (Wrapper).....	14
II.3.1. Element: Custody/Repository Location (Set).....	14
II.3.1.1. Element: Custody: Designation.....	14
II.3.1.2. Element: Custody: Identification number.....	14
II.3.1.3. Element: Repository Location: Designation.....	15
III. Element: Description Wrapper.....	15
III.1. Element: Display Creator.....	15
III.2. Element: Display Creation Date.....	16
III.3. Element: Display Creation Location.....	17
III.4. Element: Display Measurements.....	17
III.5. Element: Display Materials/Technique.....	17
III.6. Element: Display State/Edition Wrapper.....	18
III.6.1. Sub-element: Display State.....	18
III.6.2. Sub-element: Display Edition.....	18
III.6.3. Sub-element: Source Display State/Edition.....	19
III.7. Element: Display Event Wrapper.....	19
III.7.1. Sub-element: Display Event.....	19
III.8. Element: Description/Descriptive Note Wrapper.....	20
III.8.1. Sub-element: Description/Descriptive Note Set.....	20
III.8.1.1. Sub-element: Description/Descriptive Note.....	20
III.8.1.2. Sub-element: Source Description/Descriptive Note.....	20
IV. Element: Event Wrapper.....	21
IV.1. Element: Indexing Event Wrapper.....	22
IV.1.1. Element: Indexing Event Set.....	22
IV.1.1.1. Element: Event Type.....	22
IV.1.1.2. Element: Indexing Actor Set.....	22
IV.1.1.2.1. Element: Name Actor Set.....	23
IV.1.1.2.1.1. Element: Name of Actor.....	23
IV.1.1.2.1.2. Element: Source of Name Actor.....	23
IV.1.1.2.2. Element: Nationality Actor.....	23
IV.1.1.2.3. Element: Vital Dates Actor.....	23
IV.1.1.2.4. Element: Gender Actor.....	24
IV.1.1.2.5. Element: Role Actor.....	24
IV.1.1.2.6. Element: Attribution Qualifier Actor.....	24
IV.1.1.2.7. Element: Actor: Extent of participation.....	24
IV.1.1.3. Element: Indexing Dates.....	25

IV.1.1.3.1. Element: Earliest Date	25
IV.1.1.3.2. Element: Latest Date	25
IV.1.1.4. Element: Indexing Location.....	25
IV.1.1.4.1. Element: Location Set.....	25
IV.1.1.4.1.1. Element: Name Location Set.....	26
IV.1.1.4.1.1.1. Element: Name of Location.....	26
IV.1.1.4.1.1.2. Element: Source Location Name.....	26
IV.2. Element: Indexing Measurements Wrapper.....	29
IV.2.1. Sub-element: Indexing Measurements Set.....	29
IV.2.1.1. Sub-element: Measurement Set.....	29
IV.2.1.2. Sub-element: Extent Measurements.....	30
IV.2.1.3. Sub-element: QualifierMeasurements.....	30
IV.2.1.4. Sub-element: Format Measurements.....	30
IV.2.1.5. Sub-element: Maße: Form	30
IV.2.1.6. Sub-element: Scale Measurements	30
IV.3. Element: Indexing Materials/Technique Wrapper.....	32
IV.3.1. Sub-element: Indexing Materials/Technique Set.....	32
IV.3.1.1. Sub-element: Term Materials Techniques.....	32
IV.3.1.2. Sub-element: Extent Materials Techniques.....	32
IV.3.1.3. Sub-element: Source Materials Techniques.....	33
IV.4. Element: Style Wrapper	33
IV.4.1. Sub-element: Style	34
IV.5. Element: Culture Wrapper.....	34
IV.5.1. Sub-element: Culture	34
V. Element: Relation Wrapper.....	35
V.1. Element: Subject Indexing Wrapper	35
V.1.1. Sub-element: Indexing Subject Set.....	35
V.1.1.1. Sub-element: Extent Subject	35
V.1.1.2. Sub-element: Indexing Subject Term	35
V.2. Element: Related Works Wrapper.....	37
V.2.1. Sub-element: Related Work Set.....	37
V.2.1.1. Sub-element: Link Related Work.....	38
V.2.1.2. Sub-element: Related Work Relationship Type.....	38
V.2.1.3. Sub-element: Label for Related Work/Group/Collection/Series.....	38
V.2.1.4. Sub-element: Location of Related Work.....	38
VI. Element: Administrative Metadata Wrapper	40
VI.1. Element: Rights for Work	40
VI.2. Element: Record Wrapper	40
VI.2.1. Sub-element: Record ID	40
VI.2.2. Sub-element: Record Type	40
VI.2.3. Sub-element: Record Source.....	40
VI.2.4. Sub-element: Record Metadata Information Set	41
VI.2.4.1. Sub-element: Record Info ID	41
VI.2.4.2. Sub-element: Record Info Link.....	41
VI.2.4.3. Sub-element: Record Relationship ID.....	41
VI.2.4.4. Sub-element: Record Metadata Location	41
VI.2.4.5. Sub-element: Record Metadata Date.....	42
VI.3. Element: Resource Wrapper	42
VI.3.1. Sub-element: Resource Set.....	43
VI.3.1.1. Sub-element: Link Resource.....	43
VI.3.1.2. Sub-element: Resource Identification Number	43
VI.3.1.3. Sub-element: Resource Relationship Type.....	43
VI.3.1.4. Sub-element: Resource Type	43
VI.3.1.5. Sub-element: Rights for Resource.....	43

VI.3.1.6. Sub-element: Resource View Description.....	44
VI.3.1.7. Sub-element: Resource View Type.....	44
VI.3.1.8. Sub-element: Resource View Subject Term	44
VI.3.1.9. Sub-element: Resource View Date.....	44
VI.3.1.10. Sub-element: Resource Source.....	44
VI.3.1.11. Sub-element: Link Related Resource	45
VI.3.1.11.1. Sub-element: Related Resource Relationship Type.....	45
VI.3.1.11.2. Sub-element: Label for Related Resource.....	45
VI.3.1.12. Sub-element: Resource Metadata Location	45
Examples.....	47
Deutsches Historisches Museum	47
Möbel: „Bücherschrank aus dem Arbeitszimmer Wilhelm Piecks in Schloss Niederschönhausen“, Inv.Nr. L 97/9.145.....	47
DigiCult Schleswig-Holstein	50
Mineral: „Rotkupfererz mit ged. Kupfer“, Inv.Nr. 37/14 (Mineralogisches Museum).....	50
Foto Marburg	52
Bilderbogen: „Münchener Bilderbogen Nro. 91: "Auf dem Dorfe."“, Inv.Nr. H 3672 (Germanisches Nationalmuseum, Graphische Sammlung (Nürnberg)).....	52
Stadtgeschichtliches Museum Leipzig	61
Pilgerzeichen, Inv.Nr. Me B 34.....	61
Flügelglas, Inv.Nr. Gl 48.....	61
Gemälde, Inv.Nr. K/657/2001	61

museumdat: Element Definitionen

Wrapper for the whole document

Element tag: <museumdat:museumdatWrap>

Attribute: relatedencoding, langencoding, xml:lang

Note: The attribute *relatedencoding* contains the source format for the attributes *encodinganalog* and *label* (see I.1.1. Object type). This may be any metadata standard like DublinCore, but also MIDAS, KNORR or system-specific formats. *xml:lang* indicates the language of the whole document, this value may be overwritten by specifying the language attribute in sub-elements. The language encoding scheme is indicated in the attribute *langencoding*. All these attributes are optional.

Recommended values for langencoding: ISO 639-2b, RFC 3066 or other encoding schemes may be used.

Tagging examples:

```
<museumdat:museumdatWrap
  xmlns:museumdat="http://museum.zib.de/museumdat"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation=http://museum.zib.de/museumdat
  http://museum.zib.de/museumdat/museumdat-v1.0.xsd relatedencoding="DC"
  langencoding="RFC 3066" xml:lang="de"></museumdat:museumdatWrap>
```

Wrapper for one object

Element tag: <museumdat:museumdat>

Descriptive Metadata:

Element tag: <museumdat:descriptiveMetadata>

I. Element: Object Classification Wrapper

Element-Tag: <museumdat:objectClassificationWrap>

Description: Wrapper for data classifying the object.

Non-repeatable

Required

I.1. Element: Object/Work Type Wrapper

identical to CDWA Lite 1.Element: Object/Work Type Wrapper⁶

Element-Tag: <museumdat:objectWorkTypeWrap>

Description: A wrapper for Object/Work Type

Non-repeatable

Required

I.1.1. Sub-element: Object/Work Type

Element-Tag: <museumdat:objectWorkType>

Description: A term or terms identifying the specific kind of object or work being described. For a collection, include repeatable instances for terms identifying all of or the most important items in the collection.

⁶ For mapping control here and in other elements the attributes *imported* and *encodinganalog* have been added, see description note.

Attributes: termsource, termsourceID, imported, encodinganalog, label, xml:lang

Note: Whenever one of the attributes listed above appears in a museumdat element it should be used as follows:

termsource is the name of the controlled vocabulary that is used.

termsourceID is the unambiguous key for the term, chosen from this vocabulary

imported has the two values: yes | no.

Imported="yes" indicates, that the element contains an additional term which is derived from the termsource (i. g. synonym, generic term, superordinate term) and should be used only for retrieval.

imported="no" is default.

All elements with data values are accompanied by the attributes

encodinganalog and *label*, to indicate the format of the data source from which the data were migrated. *encodinganalog* thus refers to the internal field label of the source database; *label* refers to the external label (at the visible user interface). The source format is indicated in

"museumdatWrap".

Repeatable

Required

Data values: Controlled. E.g., museumsvocabular.de, SWD, AAT

Tagging examples:

```
<museumdat:objectWorkTypeWrap>
  <museumdat:objectWorkType termsource="museumsvocabular.de/OBG"
    termsourceID="00001960" imported="no"
    encodinganalog="Objektbezeichnung">Brautstrauß
  </museumdat:objectWorkType>
  <museumdat:objectWorkType termsource=" museumsvocabular.de/OBG"
    termsourceID="00001950"
    imported="yes">Accessoires</museumdat:objectWorkType>
  <museumdat:objectWorkType termsource=" museumsvocabular.de/OBG"
    termsourceID="00001949"
    imported="yes">Kleidung</museumdat:objectWorkType>
</museumdat:objectWorkTypeWrap>
```

```
<museumdat:objectWorkTypeWrap>
  <museumdat:objectWorkType termsource="SWD" termsourceID="4037220-0">
    Malerei</museumdat:objectWorkType>
  <museumdat:objectWorkType termsource="SWD" termsourceID=" 4026679-5">
    Impressionismus</museumdat:objectWorkType>
</museumdat:objectWorkTypeWrap>
```

```
<museumdat:objectWorkTypeWrap>
  <museumdat:objectWorkType termsource="SWD" termsourceID=" 4188409-7">
    Visitenkarte </museumdat:objectWorkType>
  <museumdat:objectWorkType termsource="SWD" termsourceID=" 4393831-0 ">
    Geschäftskarte </museumdat:objectWorkType>
</museumdat:objectWorkTypeWrap>
```

Display examples:

Objekttyp: Brautstrauß

Objekttyp: Visitenkarte, Geschäftskarte

I.2. Element: Classification Wrapper

identical to CDWA Lite 16. Element: Classification Wrapper

Element-Tag: <museumdat:classificationWrap>

Description: A wrapper for classification information.

Non-repeatable

Not required

I.2.1. Sub-element: Classification

Element-Tag: <museumdat:classification>

Description: Term used to categorize a work by grouping it together with other works on the basis of similar characteristics. The category belongs to a systematic scheme (classification) which groups objects of similar characteristics according to uniform aspects. This grouping / classification may be done according to material, form, shape, function, region of origin, cultural context, or historical or stylistic period. In addition to this systematic grouping it may also be done according to organizational divisions within a museum (e.g., according to the collection structure of a museum).

If the work is assigned to multiple classifications, repeat this element.

Attributes: termsource, termsourceID, imported, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Controlled. E.g., museumsvokabular.de, SWD, AAT

Tagging examples:

```
<museumdat:classificationWrap>
  <museumdat:classification termsource="SWD" termsourceID=" 4073883-8 "
  imported="no"> Kunsthandwerk </museumdat:classification>
  <museumdat:classification termsource="SWD" imported="yes">
  Kunstgewerbe </museumdat:classification>
</museumdat:classificationWrap>

<museumdat:classificationWrap>
  <museumdat:classification termsource="SWD" termsourceID="4122164-3">
  Gemälde</museumdat:classification>
</museumdat:classificationWrap>
<museumdat:classificationWrap>
  <museumdat:classification termsource="SWD" " termsourceID="4046277-8">
  Plastik</museumdat:classification>
  <museumdat:classification termsource="SWD" termsourceID="4160343-6">
  Höfische Kunst</museumdat:classification>
</museumdat:classificationWrap>

<museumdat:classificationWrap>
  <museumdat:classification museumdat:termsourceID="5.4"
  museumdat:termsource="DokBase.xTree" museumdat:label="Mineral"
  xml:lang="de">Kupfer</museumdat:classification>
  <museumdat:classification museumdat:termsourceID="5.4"
  museumdat:termsource="DokBase.xTree" museumdat:imported="yes"
  xml:lang="en">Copper</museumdat:classification>
```

```

<museumdat:classification museumdat:termsourceID="5.4"
museumdat:termsource="DokBase.xTree" museumdat:imported="yes"
xml:lang="fr">Cuivre</museumdat:classification>
<museumdat:classification museumdat:termsourceID="5.4"
museumdat:termsource="DokBase.xTree" museumdat:imported="yes"
xml:lang="lat">Cuprum</museumdat:classification>
<museumdat:classification museumdat:termsourceID="5.4"
museumdat:termsource="DokBase.xTree" museumdat:imported="yes"
xml:lang="lat">Aes Cyprium</museumdat:classification>
<museumdat:classification museumdat:termsourceID="4033734-0"
museumdat:termsource="SWD"
museumdat:imported="yes">Kupfer</museumdat:classification>
</museumdat:classificationWrap>

<museumdat:classificationWrap>
<museumdat:classification museumdat:termsource="SGML-
Sammlungsstruktur" museumdat:termsourceID="8">Vor- und
Frühgeschichte/Archäologie</museumdat:classification>
<museumdat:classification museumdat:termsource="SGML-
Sammlungsstruktur" museumdat:termsourceID="8.3">Küas
Sammlung</museumdat:classification>
</museumdat:classificationWrap>

```

Display examples:

Klassifikation: Gemälde
Klassifikation: Plastik, Höfische Kunst
Klassifikation: Kupfer

II. Element: Identification Wrapper

Element-Tag: <museumdat:identificationWrap>
Description: A Wrapper for information that identifies the object.
Non-repeatable
Required

II.1. Element: Title or Object Name Wrapper

identical to CDWA Lite 2. Element: Title Wrapper

Element-Tag: <museumdat:titleWrap>
Description: A Wrapper for Title or Object Name information.
Non-repeatable
Required

II.1.1. Sub-element: Title or Object Name Set

Element-Tag: <museumdat:titleSet>
Description: Wrapper for one title or object name and its related information.
If there is more than one title, repeat the Title Set element.
Repeatable
Required

II.1.1.1. Sub-element: Title or Object Name

Element-Tag: <museumdat:title>
Description: Titles, identifying phrases, or names given to a work of art, architecture, or material culture. For complex works, series, or

collections, the title may refer to a discrete unit within the larger entity (a print from a series, a photograph in a collection, a panel from a fresco cycle, a building within a temple complex) or it may identify only the larger entity (series, collection, cycle) itself..

Attributes: type, pref, encodinganalog, label, xml:lang

Non-repeatable

Required

Data values: Formulated according to data content rules.

Data values for the pref-attribute: preferred, alternate

Recommended values for type: inscribed, former, translated, repository, traditional, creator, local, and others.

II.1.1.2. Sub-element: Source of Title or Object Name

Element-Tag: <museumdat:sourceTitle>

Description: The source for the title, generally a published source.

Attributes: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Formulated according to rules (to be specified).

Tagging examples:

```
<museumdat:titleWrap>
  <museumdat:titleSet><museumdat:title type="Bezeichnung">
    Flügelglas</museumdat:title></museumdat:titleSet>
</museumdat:titleWrap>
```

```
<museumdat:titleWrap>
  <museumdat:titleSet><museumdat:title>Rotkupfererz mit ged.
    Kupfer</museumdat:title></museumdat:titleSet>
</museumdat:titleWrap>
```

```
<museumdat:titleWrap>
<museumdat:titleSet><museumdat:title> Der Mann mit dem
  Goldhelm</museumdat:title>
  <museumdat:sourceTitle> Der Mann mit dem Goldhelm: eine
    Dokumentation der Gemäldegalerie in Zusammenarbeit mit dem
    Rathgen-Forschungslabor SMPK und dem Hahn-Meitner-Institut Berlin;
    / Kelch, Jan / Gemäldegalerie <Berlin, West>.- Berlin, West: Staatliche
    Museen Preußischer Kulturbesitz, 1986; ISBN 3-88609-157-0
  </museumdat:sourceTitle>
</museumdat:titleSet>
</museumdat:titleWrap>
```

```
<museumdat:titleWrap>
  <museumdat:titleSet><museumdat:title pref="preferred" xml:lang="en">
    Portrait of Maria Frederike van Reede-Athlone at Seven Years of Age
  </museumdat:title>
  <museumdat:sourceTitle>J. Paul Getty Museum. Handbook of the
    Collections. Los Angeles: J. Paul Getty Museum, 1991.
  </museumdat:sourceTitle>
</museumdat:titleSet>
</museumdat:titleWrap>
```

```

<museumdat:titleWrap>
  <museumdat:titleSet>
    <museumdat:title pref="preferred" xml:lang="en" type="translated">
      Minuet of the Bride </museumdat:title>
    <museumdat:sourceTitle> National Gallery of Art online. www.nga.gov
      (accessed 10 February 2004) </museumdat:sourceTitle>
    </museumdat:titleSet>
  <museumdat:titleSet>
    <museumdat:title pref="alternate" xml:lang="fr" type="inscribed"> Menuet
      de la Mariée </museumdat:title>
    </museumdat:titleSet>
</museumdat:titleWrap>

```

Display examples:

Titel: Flügelglas
 Titel: Rotkupfererz mit ged. Kupfer
 Titel: Minuet of the Bride (Vorzugstitel, Englisch, Übersetzung)
 (Quelle: National Gallery of Art online. www.nga.gov (accessed 10
 February 2004))
 Menuet de la Mariée (Alternativtitel, Französisch, Inschrift)

II.2. Element: Inscriptions and other Marks Wrapper

identical to CDWA Lite 18. Inscriptions

Element-Tag: <museumdat:inscriptionsWrap>

Description: A wrapper for information about inscriptions and other marks.

Non-repeatable

Not required

II.2.1. Sub-element: Inscriptions and other Marks

Element-Tag: <museumdat:inscriptions>

Description: A description or transcription of any distinguishing or identifying physical lettering, annotations, texts, markings, or labels that are affixed, applied, stamped, written, inscribed, or attached to the work, excluding any mark or text inherent in the materials of which the work is made (record watermarks in Display Materials/Techniques)..

Attributes: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Formulated according to data content rules.

Tagging examples:

```

<museumdat:inscriptionsWrap>
  <museumdat:inscriptions> Stadtwappen unten rechts
  guard</museumdat:inscriptions>
</museumdat:inscriptionsWrap>

<museumdat:inscriptionsWrap>
  <museumdat:inscriptions> Signiert unten rechts: Vincent
  </museumdat:inscriptions>
</museumdat:inscriptionsWrap>

```

```
<museumdat:inscriptionsWrap>
  <museumdat:inscriptions> Inschrift auf der Rückseite: DIT IS HET AFBEELTSEL
  VAN / IACOB VAN REIGERSBERGH. / GEBOREN IN MIDDELBURGH /
  DEN.X.APRIL.1625. / WEGENS DE PROVINTIE / VAN ZEELANT GEDEPUTEERDT /
  TER VERGADERINGH VAN / HAER HOOGH MOGENTHEDEN / DEN.17.7.BER DES
  IAERS 1663 / STURF DEN.29.APRIL.1675</museumdat:inscriptions>
</museumdat:inscriptionsWrap>
```

Display examples:

Inschriften: Stadtwappen unten rechts

Inschriften: Inschrift auf der Rückseite: DIT IS HET AFBEELTSEL VAN / IACOB VAN REIGERSBERGH. / GEBOREN IN MIDDELBURGH / DEN.X.APRIL.1625. / WEGENS DE PROVINTIE / VAN ZEELANT GEDEPUTEERDT / TER VERGADERINGH VAN / HAER HOOGH MOGENTHEDEN / DEN.17.7.BER DES IAERS 1663 / STURF DEN.29.APRIL.1675

II.3. Element: Custody/Repository Location (Wrapper)

museumdat Element, related with CDWA Lite 14. Location/Repository Wrapper⁷

Element tag: <museumdat:repositoryWrap>

Description: A wrapper for information on the location of the object.

Non-repeatable

Optional

II.3.1. Element: Custody/Repository Location (Set)

Element-Tag: <museumdat:repositorySet>

Description: Wrapper for designation and identification of the institution of custody and, possibly, indication of the exact location of the object. If there are several locations known, e.g., a current one and former ones (see: type attribute), repeat the element.

Attribute: type

Repeatable

Optional

Data values for Type: current, former

II.3.1.1. Element: Custody: Designation

Element tag: <museumdat:repositoryName>

Description: Designation and unambiguous identification of the institution of custody

Attributes: termsource, termsourceID, encodinganalog, label, xml:lang

Non-repeatable

Optional

Data values: Controlled. E.g., GKD

II.3.1.2. Element: Custody: Identification number

Element tag: <museumdat:workID>

Description: An unambiguous numeric or alphanumeric identification number, assigned to the object by the institution of custody.

Attributes: type, encodinganalog, label, xml:lang

Repeatable

Optional

⁷ Contrary to CDWA Lite 14. Element: Location/Repository Wrapper this element contains only repository information. For other location information, e.g. Creation Location or Discovery Location, please refer to IV.1.1.4. Indexing Location Element within the Event Set.

Recommended values for type attribute: accession number, shelf number, identification number

II.3.1.3. Element: Repository Location: Designation

Element tag: <museumdat:repositoryLocationName>

Description: Indication of the exact location, e.g., a branch museum / museum outlet XYZ, exhibition, part of building ...

Attributes: encodinganalog, label, xml:lang

Non-repeatable

Optional

Tagging examples:

```
<museumdat:repositoryWrap>
  <museumdat:repositorySet museumdat:type="current">
    <museumdat:repositoryName termsource="GKD" termsourceID="5298137-X">
      Nationalgalerie <Berlin> / Alte Nationalgalerie</museumdat:repositoryName>
    <museumdat:workID museumdat:type="Inventarnummer">
      AK 1234</museumdat:workID>
    <museumdat:repositoryLocationName>Staatliche Museen zu Berlin - Preußischer
      Kulturbesitz, Alte Nationalgalerie, Dauerausstellung
    </museumdat:repositoryLocationName>
  </museumdat: repositorySet >
</museumdat: repositoryWrap >
```

```
<museumdat:repositoryWrap>
  <museumdat:repositorySet museumdat:type="current">
    <museumdat:repositoryName termsource="GKD" termsourceID="2069423-4">
      Landesmuseum für Technik und Arbeit <Mannheim> </museumdat:repositoryName>
    <museumdat:workID museumdat:type="Inventarnummer">
      EVZ:1984/0330</museumdat:workID>
  </museumdat: repositorySet >
</museumdat: repositoryWrap >
```

Display examples:

Aktuelle Aufbewahrung: Staatliche Museen zu Berlin / Preußischer Kulturbesitz,
Nationalgalerie

Aktueller Standort: Staatliche Museen zu Berlin / Preußischer Kulturbesitz,
Nationalgalerie, Alte Nationalgalerie, Dauerausstellung

Aktueller Standort: Landesmuseum für Technik und Arbeit in Mannheim

III. Element: Description Wrapper

Element-Tag: <museumdat:descriptionWrap>

Description: A Wrapper for Display and Description elements.

Non-repeatable

Not required

III.1. Element: Display Creator

identical to CDWA Lite 3. Display Creator

Element-Tag: <museumdat:displayCreator>

Description: The name, brief biographical information, and roles (if necessary) of the named creator or creators in the design and production of the work,

presented in a syntax suitable for display to the end-user and including any necessary indications of uncertainty, ambiguity, and nuance. If there is no known creator, make a reference to the presumed culture or nationality of the unknown creator.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: May be concatenated from the respective Indexing Actor elements, if necessary. The name should be in natural order, if possible, although inverted order is acceptable. Include nationality and life dates. For unknown creators, use one of the conventions illustrated in the following examples: "unknown," "unknown Chinese," "Chinese," or "unknown 15th century Chinese."

Tagging examples:

```
<museumdat:displayCreator>Tischbein, Johann Friedrich August (1750-1812)</museumdat:displayCreator>
<museumdat:displayCreator>Michel Erhart (deutsch, ca. 1440-nach 1522)</museumdat:displayCreator>
<museumdat:displayCreator> wahrscheinlich Entwurf von Giambologna (Flämisch, 1529-1608, aktiv in Italien); Guss zugeschrieben an Pietro Tacca (Italienisch, 1577-1640)
</museumdat:displayCreator>
<museumdat:displayCreator> unbekannt, chinesisches
</museumdat:displayCreator>
```

Display examples:

Maler: Tischbein, Johann Friedrich August (1750-1812)
Künstler: Michel Erhart (deutsch, ca. 1440-nach 1522)
Künstler: wahrscheinlich Entwurf von Giambologna (flämisch, 1529-1608, aktiv in Italien); Guss zugeschrieben Pietro Tacca (italienisch, 1577-1640)
Hersteller: unbekannt, chinesisches

III.2. Element: Display Creation Date

identical to CDWA Lite 12. Display Creation Date

Element-Tag: <museumdat:displayCreationDate>

Description: A concise description of the date or range of dates associated with the creation, design, production, presentation, performance, construction, or alteration of the work or its components, presented in a syntax suitable for display to the end-user and including any necessary indications of uncertainty, ambiguity, and nuance.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: May be concatenated from controlled fields, if necessary.

Tagging examples:

```
<museumdat:displayCreationDate>vor 1950</museumdat:displayCreationDate>
```

Display examples:

Herstellungsdatum: vor 1950

III.3. Element: Display Creation Location

museumdat Element

Element-Tag: <museumdat:displayCreationLocation>

Description: Display element for location where the object is created.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Tagging examples:

```
<museumdat:displayCreationLocation>Bohemia
```

```
</museumdat:displayCreationLocation>
```

```
<museumdat:displayCreationLocation>Prague
```

```
</museumdat:displayCreationLocation>
```

Display examples:

Herstellungsort: Bohemia

Herstellungsort: Prague

III.4. Element: Display Measurements

identical to CDWA Lite 5. Display Measurements

Element-Tag: <museumdat:displayMeasurements>

Description: Information about the dimensions, size, or scale of the work, presented in a syntax suitable for display to the end-user and including any necessary indications of uncertainty, ambiguity, and nuance. It may include the scale of the work. It may also include the number of the parts of a complex work, series, or collection.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Note: While not required, it is highly recommended to include display measurements.

Data values: Generally presented height by width by depth, unless otherwise indicated. Metric units preferred, with values in inches as well, if possible. May be concatenated from controlled fields.

Tagging examples:

```
<museumdat:displayMeasurements>88,5 x 40 cm
```

```
</museumdat:displayMeasurements>
```

```
<museumdat:displayMeasurements> Blatt: 26,6 x 19,1 cm; Textspiegel: 17 x 13 cm
```

```
</museumdat:displayMeasurements>
```

```
<museumdat:displayMeasurements>Besteht aus 10 Tafeln; insgesamt: 280 x
```

```
215 cm </museumdat:displayMeasurements>
```

```
<museumdat:displayMeasurements> Höhe mit Deckel, 89,5 cm; Durchmesser 115
```

```
cm </museumdat:displayMeasurements>
```

Display examples:

Maße: 88,5 x 40 cm

III.5. Element: Display Materials/Technique

identical to CDWA Lite 7. Display Materials/Technique

Element-Tag: <museumdat:displayMaterialsTech>

Description: An indication of the substances or materials used in the creation of a work, as well as any implements, production or manufacturing techniques, processes, or methods incorporated in its fabrication, presented in a syntax suitable for display to the end-user and including any necessary indications of uncertainty, ambiguity, and nuance. For works on paper, descriptions of watermarks may also be included. (For marks applied to the work or support by the artist or subsequently by another person, see Inscriptions.)

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: May be concatenated from controlled fields, if necessary.

Tagging examples:

```
<museumdat:displayMaterialsTech>Blei-Zinn-Legierung /
  Gitterguss</museumdat:displayMaterialsTech>
<museumdat:displayMaterialsTech>Öl und Blattgold auf Holz
  </museumdat:displayMaterialsTech>
<museumdat:displayMaterialsTech>Eisen und graviertes Leder
  </museumdat:displayMaterialsTech>
<museumdat:displayMaterialsTech>Marmorstatue auf
  Granit</museumdat:displayMaterialsTech>
<museumdat:displayMaterialsTech>Bleistift und Tinte auf handgeschöpftem
  Papier; Wasserzeichen: Stern in Kreis mit Kreuz (Briquet 6088)
  </museumdat:displayMaterialsTech>
```

Display examples:

Material/Technik: Öl und Blattgold auf Holz

Material/Technik: Bleistift und Tinte auf handgeschöpftem Papier;

Wasserzeichen: Stern in Kreis mit Kreuz (Briquet 6088)

III.6. Element: Display State/Edition Wrapper

identical to CDWA Lite 9. Display State/Edition Wrapper

Element-Tag: < museumdat:displayStateEditionWrap >

Non-repeatable

Not required

III.6.1. Sub-element: Display State

Element-Tag: < museumdat:displayState >

Description: A description of the state of the work; used primarily for prints and other multiples.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: Formulated according to rules. For State, include state identification and known states, as appropriate.

III.6.2. Sub-element: Display Edition

Element-Tag: < museumdat:displayEdition >

Description: A description of the edition of the work; used primarily for prints and other multiples.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: Formulated according to. For Edition, include impression number, edition size, and edition number, or edition name, as appropriate.

III.6.3. Sub-element: Source Display State/Edition

Element-Tag: <museumdat:sourceStateEdition>

Description: Die veröffentlichte Quelle für die Zustands- bzw. Auflageinformationen.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values:

Tagging examples:

```
<museumdat:displayStateEditionWrap>
  <museumdat:displayState> 4. Zustand von 5 </museumdat:displayState>
</museumdat:displayStateEditionWrap>
<museumdat:displayStateEditionWrap>
  <museumdat:displayState> 1. Zustand von 3 (Robison (1986))
  </museumdat:displayState>
  <museumdat:sourceStateEdition> Andrew Robison, Early Architectural
  Fantasies: A Catalogue Raisonné of the Piranesi Etchings. Washington,
  DC: National Gallery of Art, 1986. </museumdat:sourceStateEdition>
</museumdat:displayStateEditionWrap>
<museumdat:displayStateEditionWrap>
  <museumdat:displayEdition>46/500</museumdat:displayEdition>
</museumdat:displayStateEditionWrap>
<museumdat:displayStateEditionWrap>
  <museumdat:displayState> 2. Zustand </museumdat:displayState>
  <museumdat:displayEdition>7/50</museumdat:displayEdition>
</museumdat:displayStateEditionWrap>
<museumdat:displayStateEditionWrap>
  <museumdat:displayEdition>3. Auflage</museumdat:displayEdition>
</museumdat:displayStateEditionWrap>
```

Display examples:

Auflage: 3. Auflage
 Zustand: 1. Zustand von 3 (Robison (1986))
 Zustand: 2. Zustand, Auflage: 7/50

III.7. Element: Display Event Wrapper

museumdat Element

Element-Tag: <museumdat:displayEventWrap>

Description: Wrapper for display element for events other than production.

Non-repeatable

Not required

III.7.1. Sub-element: Display Event

Element-Tag: <museumdat:displayEvent>

Description: Display element for events other than production. May contain data e.g. about actors, dates and places.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: May be concatenated from controlled fields, if necessary.

Tagging examples:

```
<museumdat:displayEventWrap><museumdat:displayEvent>Gebrauch:  
Wilhelm Pieck, 1950er Jahre, Berlin, Schloss Niederschönhausen  
</museumdat:displayEvent></museumdat:displayEventWrap>  
<museumdat:displayEventWrap><museumdat:displayEvent>Fundort:  
Ranstädter Steinweg, heute Jahnallee  
</museumdat:displayEvent></museumdat:displayEventWrap>
```

Display examples:

Gebrauch: Wilhelm Pieck, 1950er Jahre, Berlin, Schloss Niederschönhausen
Fundort: Ranstädter Steinweg, heute Jahnallee

III.8. Element: Description/Descriptive Note Wrapper

identical to CDWA Lite 17. Description/Descriptive Note Wrapper

Element-Tag: <museumdat:descriptiveNoteWrap>

Description: A wrapper for Description/Descriptive Note information.

Non-repeatable

Not required

III.8.1. Sub-element: Description/Descriptive Note Set

Element-Tag: <museumdat:descriptiveNoteSet>

Description: A wrapper for a descriptive note and its sources. If there is more than one descriptive note, repeat this sub-element.

Attributes: type

Repeatable

Not required

Data values type: Object history, description, catalogue text etc.

III.8.1.1. Sub-element: Description/Descriptive Note

Element-Tag: <museumdat:descriptiveNote>

Description: A relatively brief essay-like text that describes the content and context of the work, including comments and an interpretation that may supplement, qualify, or explain the physical characteristics, subject, circumstances of creation or discovery, or other information about the work.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

III.8.1.2. Sub-element: Source Description/Descriptive Note

Element-Tag: <museumdat:sourceDescriptiveNote>

Description: The source for the descriptive note, generally a published source.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Tagging examples:

```
<museumdat:descriptiveNoteWrap>
  <museumdat:descriptiveNoteSet> <museumdat:descriptiveNote> Die Königin von
    Saba hörte von der Klugheit König Salomos und reiste mit ihrem Gefolge zu
    ihm, um seine Weisheit mit Rätseln auf die Probe zu stellen. Salomo bestand
    die Prüfung, und als Zeichen ihrer Anerkennung und Verehrung überreichte
    ihm die Königin reiche Geschenke. Das Gemälde zeigt sie in einer
    phantastischen Architektur mit ihrem Gefolge und zwei Blumen in der Hand vor
    dem König kniend. Die Darstellung verweist auf Ruhm, Ehre und verdienten
    Reichtum des weisen Herrschers. Das Bild kaufte die Stadt Emden 1617 zur
    Ausstattung ihres Rathauses.
  </museumdat:descriptiveNote> </museumdat:descriptiveNoteSet>
</museumdat:descriptiveNoteWrap>
<museumdat:descriptiveNoteWrap>
  <museumdat:descriptiveNoteSet> <museumdat:descriptiveNote> Die Darstellung
    ist mit Feder und feinem Pinsel in Braun auf den weißen Malgrund aufgetragen.
    Im Vordergrund sind drei Segler unterschiedlicher Größe sorgfältig
    "gezeichnet". Im Hintergrund erkennt man weitere Schiffe sowie eben noch die
    Silhouette einer Stadt. Die kleine, unbezeichnete Tafel darf Backhuysen
    zugewiesen werden, der am Anfang seiner Laufbahn mehrere solcher
    monochromen Federmalereien
    schuf. </museumdat:descriptiveNote> </museumdat:descriptiveNoteSet>
</museumdat:descriptiveNoteWrap>
```

Display examples:

Beschreibung: Die Königin von Saba hörte von der Klugheit König Salomos und reiste mit ihrem Gefolge zu ihm, um seine Weisheit mit Rätseln auf die Probe zu stellen. Salomo bestand die Prüfung, und als Zeichen ihrer Anerkennung und Verehrung überreichte ihm die Königin reiche Geschenke. Das Gemälde zeigt sie in einer phantastischen Architektur mit ihrem Gefolge und zwei Blumen in der Hand vor dem König kniend. Die Darstellung verweist auf Ruhm, Ehre und verdienten Reichtum des weisen Herrschers. Das Bild kaufte die Stadt Emden 1617 zur Ausstattung ihres Rathauses.

Beschreibung: Die Darstellung ist mit Feder und feinem Pinsel in Braun auf den weißen Malgrund aufgetragen. Im Vordergrund sind drei Segler unterschiedlicher Größe sorgfältig "gezeichnet". Im Hintergrund erkennt man weitere Schiffe sowie eben noch die Silhouette einer Stadt. Die kleine, unbezeichnete Tafel darf Backhuysen zugewiesen werden, der am Anfang seiner Laufbahn mehrere solcher monochromen Federmalereien schuf.

IV. Element: Event Wrapper

Element-Tag: <museumdat:eventWrap>

Description: A Wrapper for any data linked to an object through an event. Note that the elements IV.2.-IV.5 are also linked to the object through an event even though actor, date, and place are not registered.

Non-repeatable

Not required

IV.1. Element: Indexing Event Wrapper

museumdat Element

Element-Tag: <museumdat:indexingEventWrap>

Description: A Wrapper for Indexing Event Sets.

Non-repeatable

Not required

IV.1.1. Element: Indexing Event Set

museumdat Element

Element-Tag: <museumdat:indexingEventSet>

Description: Element Set for data specifying an event that is linked to the object, notably actors, time and place. Repeat this set for every further event linked to the same object.

Repeatable

Not required

Note: Here, in general, only events relevant for search in an online service should be included into the museumdat format, e.g. information concerning production / manufacture. Information, e.g., loan etc. will not generally be relevant here.

IV.1.1.1. Element: Event Type

museumdat Element

Element-Tag: <museumdat:eventType>

Description: This element describes the nature of an event in respect to the object that was present at that event.

Data values: Controlled. The following list of recommended values, established on the basis of the sub-classes of the CRM entity E5 Event, is an open one and may be supplemented with further examples from practical experience.

Data values for eventType may be e.g.:

acquisition, collection event, completion, creation, design, destruction, draft, emerging, enlargement, excavation, execution, exhibition, find, intellectual creation, invention, loss, modification, part addition, part removal, partial destruction, performance, planning, production, rearrangement, restauration, transformation, type assignment, type creation, use and others

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Required, within Indexing Event Set

Note: The eventType values do have differing degree of detail; they should be used differently according to differing depth of documentation. For example, in one documentation there may be only event "production" (with different role indicators for the actors, but one date and one place). In another one "production" may have been captured by several events such as "draft" and "execution" (with different dates and places each).

IV.1.1.2. Element: Indexing Actor Set

museumdat Element, related with CDWA Lite 4.1 Indexing Creator Set⁸

Element-Tag: <museumdat:indexingActorSet>

⁸ The element is a straightforward generalisation of the creator into any actor, with all sub-elements.

Description: A Wrapper for indexing elements for actors within an event.
For multiple actors repeat Indexing Actor Set.

Repeatable

Not required

IV.1.1.2.1. Element: Name Actor Set

Element-Tag: <museumdat:nameActorSet>

Description: A wrapper for name elements, if there exists more than one name for a single actor, repeat Name Actor Set.

Repeatable

Required, within Indexing Actor Set

IV.1.1.2.1.1. Element: Name of Actor

Element-Tag: <museumdat:nameActor>

Attributes: pref, type, termsource termsourceID, encodinganalog, label, xml:lang

Description: Names, appellations or other identifiers assigned to the actor (person or corporation) that participated in the event

Non-repeatable

Required, within Name Actor Set

Note: Use of a Personal and Corporate Name Authority, from which the names, nationality, and dates may be derived, is recommended.

Data values: Controlled. E.g. PND or SWD, AKL

Recommended values for the pref-attribute: preferred, alternate

Data values for Type-Attribut: personalName, corporateName

IV.1.1.2.1.2. Element: Source of Name Actor

Element-Tag: <museumdat:sourceNameActor>

Description: Source of the actor's name, e.g. published source.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values:

IV.1.1.2.2. Element: Nationality Actor

Element-Tag: <museumdat:nationalityActor>

Description: National or cultural affiliation of the person or corporate body.

Attributes: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Controlled. E.g. SWD, AAT, TGN

IV.1.1.2.3. Element: Vital Dates Actor

Element-Tag: <museumdat:vitalDatesActor>

Attributes: birthdate, deathdate, termsource, encodinganalog, label, xml:lang

Description: A description of the lifespan of the person or the existence of the corporate body, using "ca." and any other expressions of uncertainty or nuance. For Birth and Death date attributes, record years of birth and death, estimated where

necessary. For a corporate body, use birthdate and deathdate to record the dates of founding and dissolution.

Repeatable

Not required

Note: Although this is not a mandatory field the use of birth date and death date is strongly recommended in the case of artists. If only a reference period (not the exact period of life) of a person is known, and the event in which the person took part cannot be exactly dated, then the reference period should be taken as the dating of the event (indexingDates with earliestDate and latestDate).

Data values: Format will vary depending upon implementation. (Do not repeat attributes birthdate or deathdate within one set of Vital Dates.)

IV.1.1.2.4. Element: Gender Actor

Element-Tag: <museumdat:genderActor>

Description: The sex of the individual. Not applicable for corporate bodies.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: male, female, unknown, not applicable.

IV.1.1.2.5. Element: Role Actor

Element-Tag: <museumdat:roleActor>

Description: Role of the Actor in the event.

Attributes: termsource, termsourceID, encodinganalog, label, xml:lang

Repeatable

Required, within Indexing Actor Set (IV.1.1.2.)

Data values: Controlled. E.g., SWD, AAT

IV.1.1.2.6. Element: Attribution Qualifier Actor

Element-Tag: <museumdat:attributionQualifierActor>

Description: A qualifier used when the attribution is uncertain, is in dispute, when there is more than one actor, when there is a former attribution, or when the attribution otherwise requires explanation.

Repeatable

Not required

Data values: attributed to, studio of, workshop of, atelier of, office of, assistant of, associate of, pupil of, follower of, school of, circle of, style of, after copyist of, manner of...

IV.1.1.2.7. Element: Actor: Extent of participation

Element-Tag: <museumdat:extentActor>

Description: Extent of the actor's participation in the event, if there are several actors.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: design, execution, with additions by, figures, renovation by, predella, embroidery, cast by, printed by, ...

IV.1.1.3. Element: Indexing Dates

museumdat Element, related with CDWA Lite 13.1 Indexing Dates Set⁹

Element-Tag: <museumdat:indexingDates>

Description: A wrapper for one set of years in the proleptic Gregorian calendar delimiting the span of time during which the event happened. Begin of time span and end of time span might be identical. If the date is not known for sure, take the earliest and latest plausible dates. If an event e.g. the production event took place in several steps hence within more than one single time span, repeat Indexing Event Set and not Indexing Dates!

Non-repeatable

Not required

IV.1.1.3.1. Element: Earliest Date

Element-Tag: <museumdat:earliestDate>

Description: Earliest Date (Begin of Timespan).

Attributes: termsource, encodinganalog, label, xml:lang

Non-repeatable

Required, within Indexing Dates (IV.1.1.3.)

Data values: Format: YYYY[-MM[-DD]], format for dates b.c. and other calendars not yet defined.

IV.1.1.3.2. Element: Latest Date

Element-Tag: <museumdat:latestDate>

Description: Latest Date (End of Time span).

Attributes: termsource, encodinganalog, label, xml:lang

Non-repeatable

Required, within "indexingDates" (IV.1.1.3.)

Data values: Format: YYYY[-MM[-DD]], format for dates b.c. and other calendars still not defined.

IV.1.1.4. Element: Indexing Location

museumdat Element, related with CDWA Lite 14. Location/Repository Wrapper¹⁰

Element-Tag: <museumdat:indexingLocationWrap>

Description: Indexing Element for location.

Non-repeatable

Not required

IV.1.1.4.1. Element: Location Set

Element-Tag: <museumdat:indexingLocationSet>

Description: There is only one location where an event takes place (per definitionem). This set contains larger geographical entities for indexing. This set might be useful if there is no hierarchic system for usage of data in termsource termsourceID available.

Attributes: politicalEntity, geographicalEntity

Note: Additional attributes for use in geographical information systems will be added in future.

⁹ Compared with CDWA Lite 13.1 Indexing Dates Set the museumdat element Indexing Dates is not repeatable, and the sub-element 13.1.1. Date Qualifier is omitted as it is already specified in museumdat IV.1.1.1. Event Type

¹⁰ Location here relates to the place where the event happened. In CDWA Lite this is part of element 14. Location/Repository Set (whose type-attribute is also omitted as it corresponds to IV.1.1.1. Event Type).

Repeatable**Required, within Indexing Location (IV.1.1.4.)**

Data values for politicalEntity: Gemeinde, Kreis, Bundesland, Staat, ...
for geographicalEntity: Naturraum, Landschaft, ...

IV.1.1.4.1.1. Element: Name Location Set

Element-Tag: <museumdat:nameLocationSet>

Description: A Wrapper for Name Location Elements. If there are several names for a single location (e.g. historical, political ...) repeat the Name Location Set.

Repeatable**Required, within "Location Set" (IV.1.1.4.1.)****IV.1.1.4.1.1.1. Element: Name of Location**

Element-Tag: <museumdat:nameLocation>

Description: Name of the location where the event took place.

Attributes: termsource, termsourceID, imported, encodinganalog, label, xml:lang

Non-repeatable**Required, within Name Location Set (IV.1.1.4.1.1.)**

Data values: Controlled. E.g. museums vokabular.de, TGN

IV.1.1.4.1.1.2. Element: Source Location Name

Element-Tag: <museumdat:sourceNameLocation>

Description: Source of location name, generally a published source.

Attribut: encodinganalog, label, xml:lang

Repeatable**Not required**

Data values:

Tagging examples:

```
<museumdat:indexingEventWrap>
<museumdat:indexingEventSet>
  <museumdat:eventType>Herstellung</museumdat:eventType>
  <museumdat:indexingDatesSet>
    <museumdat:earliestDate>1949</museumdat:earliestDate>
    <museumdat:latestDate>1951</museumdat:latestDate>
  </museumdat:indexingDatesSet>
  <museumdat:locationSet>
    <museumdat:nameLocationSet>
      <museumdat:nameLocation>Deutschland</museumdat:nameLocation>
    </museumdat:nameLocationSet>
    <museumdat:nameLocationSet>
      <museumdat:nameLocation>Deutsche Demokratische
Republik</museumdat:nameLocation>
    </museumdat:nameLocationSet>
  </museumdat:locationSet>
</museumdat:indexingEventSet>
<museumdat:indexingEventSet>
  <museumdat:eventType>Gebrauch</museumdat:eventType>
  <museumdat:indexingActorSet>
    <museumdat:nameActorSet>
```

```

    <museumdat:nameActor termsource="DHM Personendatei"
termsourceID="PE019212">Pieck, Wilhelm</museumdat:nameActor>
  </museumdat:nameActorSet>
  <museumdat:nationalityActor>String</museumdat:nationalityActor>
  <museumdat:vitalDatesActor birthDate="1876.01.03"
deathDate="1960.09.07">1876-1960</museumdat:vitalDatesActor>
  <museumdat:genderActor>männlich</museumdat:genderActor>
  <museumdat:roleActor>Nutzer</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:locationSet>
  <museumdat:nameLocationSet>
    <museumdat:nameLocation>Berlin, Schloß
Niederschönhausen</museumdat:nameLocation>
  </museumdat:nameLocationSet>
</museumdat:locationSet>
</museumdat:indexingEventSet>
</museumdat:indexingEventWrap>

<museumdat:indexingEventWrap>
<museumdat:indexingEventSet>
  <museumdat:eventType>Publikation</museumdat:eventType>
  <museumdat:indexingActorSet>
  <museumdat:nameActorSet>
    <museumdat:nameActor museumdat:termsource="DISKUS-KUE-Datei"
museumdat:termsourceID="00280303" museumdat:type="personalName"
museumdat:pref="preferred" museumdat:encodinganalog="ob30/3100">
Schneider, Friedrich</museumdat:nameActor>
  </museumdat:nameActorSet>
  <museumdat:nationalityActor museumdat:encodinganalog="ob30/3200">
Deutschland</museumdat:nationalityActor>
  <museumdat:vitalDatesActor
museumdat:encodinganalog="ob30/3270|ob30/3330"
museumdat:birthDate="1815" museumdat:deathDate="1864">
1815-1864</museumdat:vitalDatesActor>
  <museumdat:genderActor museumdat:encodinganalog="ob30/3140">
männlich</museumdat:genderActor>
  <museumdat:roleActor
museumdat:encodinganalog="ob30/3475">Verleger</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:indexingActorSet>
  <museumdat:nameActorSet>
    <museumdat:nameActor museumdat:termsource="DISKUS-KUE-Datei"
museumdat:termsourceID="03691262" museumdat:type="personalName"
museumdat:pref="preferred" museumdat:encodinganalog="ob30/3100">
Braun, Kaspar (1807)</museumdat:nameActor>
  </museumdat:nameActorSet>
  <museumdat:nameActorSet>
    <museumdat:nameActor museumdat:termsource="DISKUS-KUE-Datei"
museumdat:termsourceID="03691262" museumdat:type="personalName"
museumdat:pref="alternate"
museumdat:encodinganalog="ob30/3105">Braun,
Caspar</museumdat:nameActor>
  </museumdat:nameActorSet>

```

```

    <museumdat:nationalityActor museumdat:encodinganalog="ob30/3200">
Deutschland</museumdat:nationalityActor>
    <museumdat:vitalDatesActor
museumdat:encodinganalog="ob30/3270|ob30/3330"
museumdat:birthDate="1807.08.13" museumdat:deathDate="1877.10.20">
1807-1877</museumdat:vitalDatesActor>
    <museumdat:genderActor museumdat:encodinganalog="ob30/3140">
männlich</museumdat:genderActor>
    <museumdat:roleActor
museumdat:encodinganalog="ob30/3475">Verleger</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:indexingLocationWrap>
    <museumdat:indexingLocationSet museumdat:politicalEntity="Gemeinde">
    <museumdat:nameLocationSet>
        <museumdat:nameLocation museumdat:termsource="DISKUS-GEO-Datei"
museumdat:imported="no" museumdat:encodinganalog="5140/5145">
München</museumdat:nameLocation>
        </museumdat:nameLocationSet>
    </museumdat:indexingLocationSet>
    <museumdat:indexingLocationSet
museumdat:politicalEntity="Bundesland">
    <museumdat:nameLocationSet>
        <museumdat:nameLocation museumdat:termsource="DISKUS-GEO-Datei"
museumdat:imported="yes" museumdat:encodinganalog="5140/2190">
Bayern</museumdat:nameLocation>
        </museumdat:nameLocationSet>
    </museumdat:indexingLocationSet>
    <museumdat:indexingLocationSet museumdat:politicalEntity="Staat">
    <museumdat:nameLocationSet>
        <museumdat:nameLocation museumdat:termsource="DISKUS-GEO-Datei"
museumdat:imported="yes" museumdat:encodinganalog="5140/2194">
Deutschland</museumdat:nameLocation>
        </museumdat:nameLocationSet>
    </museumdat:indexingLocationSet>
</museumdat:indexingLocationWrap>
</museumdat:indexingEventSet>
</museumdat:indexingEventWrap>

    <museumdat:indexingEventWrap>
    <museumdat:indexingEventSet>
        <museumdat:eventType>Herstellung</museumdat:eventType>
    <museumdat:indexingActorSet>
        <museumdat:nameActorSet>
            <museumdat:nameActor museumdat:type="personalName">
Tischbein, Johann Friedrich August (1750-1812)</museumdat:nameActor>
        </museumdat:nameActorSet>
        <museumdat:roleActor>Maler</museumdat:roleActor>
    </museumdat:indexingActorSet>
    <museumdat:indexingDates>
        <museumdat:earliestDate>1805</museumdat:earliestDate>
        <museumdat:latestDate>1805</museumdat:latestDate>
    </museumdat:indexingDates>
    </museumdat:indexingEventSet>
</museumdat:indexingEventWrap>

```

```

<museumdat:indexingEventWrap>
  <museumdat:indexingEventSet>
    <museumdat:eventType>Fund</museumdat:eventType>
    <museumdat:indexingLocationWrap>
      <museumdat:indexingLocationSet>
        <museumdat:nameLocationSet>
          <museumdat:nameLocation>Ranstädter Steinweg, heute
Jahnallee</museumdat:nameLocation>
        </museumdat:nameLocationSet>
      </museumdat:indexingLocationSet>
    </museumdat:indexingLocationWrap>
  </museumdat:indexingEventSet>
</museumdat:indexingEventWrap>

```

Display examples: These elements are used for retrieval. The data display for end-users is controlled by resp. display elements (III.1. Display Creator, III.2. Display Creation Date, III.3. Display Creation Location, III.7. Display Event).

IV.2. Element: Indexing Measurements Wrapper

identical to CDWA Lite 6. Indexing Measurements Wrapper

Element-Tag: <museumdat:indexingMeasurementsWrap>

Description: A wrapper for the Indexing Measurements.

Non-repeatable

Not required

IV.2.1. Sub-element: Indexing Measurements Set

Element-Tag: <museumdat:indexingMeasurementsSet>

Description: The dimensions, size, shape, scale, format, or storage configuration of the work, including volume, weight, area or running time. Measurements are formatted to allow retrieval; preferably in metric units where applicable; if multiple parts of the work are measured, repeat the Indexing Measurements Set element.

Repeatable

Not required

IV.2.1.1. Sub-element: Measurement Set

Element-Tag: <museumdat:measurementsSet>

Attributes: value, unit, type, encodinganalog, label, xml:lang

Description: The dimensions or other measurements for one aspect of a work (e.g., width); may be combined with extent, qualifier, and other sub-elements as necessary.

Repeatable

Not required

Data values for value: Whole numbers or decimal fractions.

Data values for unit: cm, mm, m, g, kg, kb, Mb, Gb.

Data values for type: height, width, depth, length, diameter, circumference, stories, count, area, volume, running time, size, ...

Note: All three attributes are mandatory attributes for the measurementsSet.

IV.2.1.2. Sub-element: Extent Measurements

Element-Tag: <museumdat:extentMeasurements>

Description: An explanation of the part of the work being measured; included when necessary for clarity.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: overall, components, sheet, plate mark, chain lines, pattern repeat, lid, base, laid lines, folios, leaves, columns per page, lines per page, tessera, footprint, panel, interior, mat, window of mat, secondary support, frame, mount, ...

IV.2.1.3. Sub-element: QualifierMeasurements

Element-Tag: <museumdat:qualifierMeasurements>

Description: A word or phrase that elaborates on the nature of the measurements of the work when necessary, as when the measurements are approximate.

Repeatable

Not required

Data values: approximate, sight, maximum, larges, smallest, average, variable, assembled, before restoration, before restoration, at corners, rounded, framed, with base, ...

IV.2.1.4. Sub-element: Format Measurements

Element-Tag: <museumdat:formatMeasurements>

Description: The configuration of a work, including technical formats, used as necessary.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Vignette, VHS, IMAX, DOS usw.

IV.2.1.5. Sub-element: Maße: Form

Element-Tag: <museumdat:shapeMeasurements>

Description: The shape of a work, used for unusual shapes (e.g., an oval painting).

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: oval, round, square, rectangular, irregular, ...

IV.2.1.6. Sub-element: Scale Measurements

Element-Tag: <museumdat:scaleMeasurements>

Description: An expression of the ratio between the size of the representation of something and that thing (e.g., the size of the drawn structure and the actual built work). Used for studies, record drawings, models, and other representations drawn or constructed to scale.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values for scale: numeric (e.g., 1 inch = 1 foot), full-size, life-size, half size, monumental. and others as recommended in CCO and CDWA. Combine this tag with Measurement Sets for numeric scales. For

measurementsSet type for Scale, use "base" for the left side of the equation, and "target" for the right side of the equation).

Tagging examples:

```
<museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMeasurementsSet>
    <museumdat:measurementsSet museumdat:type="L"
      museumdat:unit="cm" museumdat:value="7,6" />
    <museumdat:measurementsSet museumdat:type="B"
      museumdat:unit="cm" museumdat:value="6,2" />
    <museumdat:measurementsSet museumdat:type="H"
      museumdat:unit="cm" museumdat:value="4,4" />
    <museumdat:measurementsSet museumdat:type="Gewicht"
      museumdat:unit="gr" museumdat:value="175" />
  </museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>

<museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMeasurementsSet>
    <museumdat:measurementsSet value="88,5" unit="cm"
      type="Höhe"> </museumdat:measurementsSet>
    <museumdat:measurementsSet value="40" unit="cm"
      type="Breite"> </museumdat:measurementsSet>
  </museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>

<museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMeasurementsSet>
    <museumdat:extent>Textfeld</museumdat:extent>
    <museumdat:qualifierMeasurements>Sichtmaß
      </museumdat:qualifierMeasurements>
    <museumdat:measurementsSet value="17" unit="cm" type="Höhe">
      </museumdat:measurementsSet>
    <museumdat:measurementsSet value="13" unit="cm" type="Breite">
      </museumdat:measurementsSet>
  </museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>

<museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMeasurementsSet>
    <museumdat:extentMeasurements>
      Eichendeckel</museumdat:extentMeasurements>
    <museumdat:measurementsSet value="27,3" unit="cm"
      type="Höhe"> </museumdat:measurementsSet>
    <museumdat:measurementsSet value="19,8" unit="cm"
      type="Breite"> </museumdat:measurementsSet>
  </museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>

<museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMeasurementsSet>
    <museumdat:extentMeasurements>
      Feld</museumdat:extentMeasurements>
    <museumdat:measurementsSet type="Anzahl" unit="" value="10">
      </museumdat:measurementsSet>
  </museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>
</museumdat:indexingMeasurementsWrap>
```

```

<museumdat:indexingMeasurementsSet type="Höhe" unit="cm"
  value="61,6"></museumdat:indexingMeasurementsSet>
  <museumdat:indexingMeasurements type="Breite" unit="cm"
    value="97,2" >
  <museumdat:shapeMeasurements>
    oval</museumdat:shapeMeasurements>
</museumdat:indexingMeasurementsSet>
<museumdat:indexingMeasurementsSet>
  <museumdat:scaleMeasurements> Numerisch
  </museumdat:scaleMeasurements>
  <museumdat:measurementsSet value="1" unit="cm"
    type="Basis"> </museumdat:measurementsSet>
  <museumdat:measurementsSet value="10" unit="m"
    type="Ziel"> </museumdat:measurementsSet>
</museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>

```

Display examples: These elements are controlled for retrieval. The data is displayed for end-users in Display Measurements (III.4)

IV.3. Element: Indexing Materials/Technique Wrapper

identical to CDWA Lite 8. Indexing Materials/Technique Wrapper

Element-Tag: <museumdat:indexingMaterialsTechWrap>

Description: A wrapper for Indexing Materials/Techniques.

Non-repeatable

Not required

IV.3.1. Sub-element: Indexing Materials/Technique Set

Element-Tag: <museumdat:indexingMaterialsTechSet>

Description: Materials and techniques indexed with controlled terms for retrieval; if multiple parts of the work require separate materials and techniques, or if you are recording media and support separately, repeat this element with the type attribute and/or the extent sub-element.

Attributes: type

Repeatable

Not required

Data values for Type: technique, material, implement, mark (e.g., watermark or other mark inherent in the material)

IV.3.1.1. Sub-element: Term Materials Techniques

Element-Tag: <museumdat:termMaterialsTech>

Description: A term to index materials and/or technique; may be combined with extent as necessary.

Attributes: termsource, termsourceID, imported, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Controlled. E.g., museumsvocabular.de, SWD, AAT

IV.3.1.2. Sub-element: Extent Materials Techniques

Element-Tag: <museumdat:extentMaterialsTech>

Description: An explanation of the part of the work to which the materials or technique are applicable; included when necessary for clarity.
Attribut: encodinganalog, label, xml:lang
Repeatable
Not required

IV.3.1.3. Sub-element: Source Materials Techniques

Element-Tag: <museumdat:sourceMaterialsTech>
Description: The source of the information about materials and technique, often used when citing a published source of watermarks.
Attribut: encodinganalog, label, xml:lang
Repeatable
Not required
Data values:

Tagging examples:

```
<museumdat:indexingMaterialsTechWrap>
  <museumdat:indexingMaterialsTechSet museumdat:type="Material">
    <museumdat:termMaterialsTech museumdat:encodinganalog="5260">
      Papier</museumdat:termMaterialsTech>
    </museumdat:indexingMaterialsTechSet>
    <museumdat:indexingMaterialsTechSet museumdat:type="Technik">
    <museumdat:termMaterialsTech museumdat:encodinganalog="5300">
      Holzstich</museumdat:termMaterialsTech>
    <museumdat:termMaterialsTech museumdat:encodinganalog="5300">
      Typendruck</museumdat:termMaterialsTech>
    </museumdat:indexingMaterialsTechSet>
  </museumdat:indexingMaterialsTechWrap>
```

```
<museumdat:indexingMaterialsTechWrap>
  <museumdat:indexingMaterialsTechSet museumdat:type="Material">
    <museumdat:termMaterialsTech>Holz
    </museumdat:termMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
  <museumdat:indexingMaterialsTechSet museumdat:type="Material">
    <museumdat:termMaterialsTech>Messing
    </museumdat:termMaterialsTech>
    <museumdat:extentMaterialsTech>Einlagen
    </museumdat:extentMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
</museumdat:indexingMaterialsTechWrap>
```

Display examples: These elements are controlled for retrieval. The data is displayed for end-users in Display Materials/Techniques (III.5).

IV.4. Element: Style Wrapper

identical to CDWA Lite 10. Style Wrapper

Element-Tag: <museumdat:styleWrap>
Description: A wrapper for style elements.
Non-repeatable
Not required

IV.4.1. Sub-element: Style

Element-Tag: <museumdat:style>

Description: Term that identifies the named, defined style, historical or artistic period, movement, group, or school whose characteristics are represented in the work being catalogued.

Attributes: termsource, termsourceID, imported, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Controlled. E.g., museumsvocabular.de, SWD, AAT

Tagging examples:

```
<museumdat:styleWrap>
  <museumdat:style>Renaissance</museumdat:style>
</museumdat:styleWrap>
```

Display examples:

Style: Renaissance

IV.5. Element: Culture Wrapper

identical to CDWA Lite 11. Culture Wrapper

Element-Tag: <museumdat:cultureWrap>

Description: A wrapper for Culture elements

Non-repeatable

Not required

IV.5.1. Sub-element: Culture

Element-Tag: <museumdat:culture>

Description: Name of the culture, people, or nationality from which the work originated.

Attributes: termsource, termsourceID, imported, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Controlled. E.g. museumsvocabular.de, SWD, AAT

Tagging examples:

```
<museumdat:cultureWrap>
  <museumdat:culture>Etruscan</museumdat:culture>
</museumdat:cultureWrap>
<museumdat:cultureWrap>
  <museumdat:culture termsource="AAT"
    termsourceID="aat300020929">netherlandian
  </museumdat:culture>
  <museumdat:culture termsource="AAT"
    termsourceID="aat300111188">French </museumdat:culture>
</museumdat:cultureWrap>
```

Display examples:

Kultur: Etruscan

Kulturen: Netherlandian; French

V. Element: Relation Wrapper

Element-Tag: <museumdat:relationWrap>

Description: Wrapper for indexing related topics and works, collections, etc.

Non-repeatable

Not required

V.1. Element: Subject Indexing Wrapper

identical to CDWA Lite 15. Subject Indexing Wrapper

Element-Tag: <museumdat:indexingSubjectWrap>

Description: A wrapper for Subject Indexing information about the work, group, collection, or series that is being catalogued.

Non-repeatable

Not required

V.1.1. Sub-element: Indexing Subject Set

Element-Tag: <museumdat:indexingSubjectSet>

Description: A wrapper for one set of Subject Indexing information. If a work has multiple parts or otherwise has separate, multiple subjects, repeat this element with Extent Subject. This element may also be repeated to distinguish between subjects that reflect what a work is "of" (description and identification) from what it is "about" (interpretation).

Attributes: type

Repeatable

Not required

Data values: For type, values may include description, identification, interpretation; for use if necessary to distinguish between what a work is "of" and what it is "about."

V.1.1.1. Sub-element: Extent Subject

Element-Tag: <museumdat:extentSubject>

Description: When there are multiple subjects, a term indicating the part of the work to which these subject terms apply.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: recto, verso, side A, side B, main panel, predella, ...

V.1.1.2. Sub-element: Indexing Subject Term

Element-Tag: <museumdat:subjectTerm>

Description: Terms that identify, describe, and/or interpret what is depicted in and by a work. These may include proper names (e.g., people, events, places), iconography, themes from literature, or generic terms describing the material world, or topics (e.g., concepts, themes, or issues).

Attributes: type, termsource, termsourceID, imported, encodinganalog, label, xml:lang

Repeatable

Not required

Note: While not required, it is highly recommended to include subject terms, even for non-objective art, for which the function or purpose of the work may be included as subject.

Data values: Controlled. E.g., IconClass, museums vokabular.de, SWD, AAT

Empfohlene Werte für das Typ-Attributes: conceptTerm, iconography, eventName, personalName, corporateBodyName, geographicName, ...

Tagging examples:

```
<museumdat:indexingSubjectSet>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="no"
museumdat:encodinganalog="5500/5500">43 B
31</museumdat:subjectTerm>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="no"
museumdat:encodinganalog="5500/5502">Gasthaus, Kaffeehaus, Kneipe,
etc.</museumdat:subjectTerm>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="yes"
museumdat:encodinganalog="5500/5504">Gasthaus</museumdat:subjectTer
m>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="yes"
museumdat:encodinganalog="5500/60dd">Erholung, Entspannung im
Haus</museumdat:subjectTerm>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="yes"
museumdat:encodinganalog="5500/61dd">innen & im
Haus</museumdat:subjectTerm>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="yes"
museumdat:encodinganalog="5500/60cd">Erholung,
Entspannung</museumdat:subjectTerm>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="yes"
museumdat:encodinganalog="5500/61cd">Erholung &
Entspannung</museumdat:subjectTerm>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="yes"
museumdat:encodinganalog="5500/60ad">Gesellschaft, Zivilisation,
Kultur</museumdat:subjectTerm>
  <museumdat:subjectTerm museumdat:type="Konzept"
museumdat:termsource="Iconclass" museumdat:imported="yes"
museumdat:encodinganalog="5500/61ad">Gesellschaft &
Zivilisation
& Kultur</museumdat:subjectTerm>
</museumdat:indexingSubjectSet>

<museumdat:indexingSubjectWrap>
  <museumdat:indexingSubjectSet museumdat:type="Abgebildet">
    <museumdat:subjectTerm museumdat:type="Person">14
Nothelfer</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
```

```

        <museumdat:indexingSubjectSet museumdat:type="Abgebildet">
            <museumdat:subjectTerm museumdat:type="Person">Maria mit
Kind</museumdat:subjectTerm>
        </museumdat:indexingSubjectSet>
        <museumdat:indexingSubjectSet museumdat:type="Abgebildet">
            <museumdat:subjectTerm
museumdat:type="Gegenstand">Sächsisches
Rautenwappen</museumdat:subjectTerm>
        </museumdat:indexingSubjectSet>
        <museumdat:indexingSubjectSet museumdat:type="Abgebildet">
            <museumdat:subjectTerm
museumdat:type="Gegenstand">Thüringerisches
Löwenwappen</museumdat:subjectTerm>
        </museumdat:indexingSubjectSet>
        <museumdat:indexingSubjectSet museumdat:type="Erwähnt">
            <museumdat:subjectTerm museumdat:type="Person">14
Nothelfer</museumdat:subjectTerm>
        </museumdat:indexingSubjectSet>
        <museumdat:indexingSubjectSet museumdat:type="Erwähnt">
            <museumdat:subjectTerm
museumdat:type="Ort">Jena</museumdat:subjectTerm>
        </museumdat:indexingSubjectSet>
    </museumdat:indexingSubjectWrap>

```

Display examples:

Thema: 43 B 31: Gasthaus, Kaffeehaus, Kneipe, etc.
Themen: Abgebildet: 14 Nothelfer (Person), Maria mit Kind (Person),
Sächsisches Rautenwappen (Gegenstand), Thüringerisches
Löwenwappen (Gegenstand), Erwähnt: 14 Nothelfer (Person), Jena (Ort)

V.2. Element: Related Works Wrapper

identical to CDWA Lite 19. Related Works Wrapper

Element-Tag: <museumdat:relatedWorksWrap>

Description: A wrapper for Related Works information.

Non-repeatable

Not required

V.2.1. Sub-element: Related Work Set

Element-Tag: <museumdat:relatedWorkSet>

Description: A wrapper for one work, group, collection, or series that is directly related to the work at hand, including direct relationships between two works, between a work and its components, and between an item and the larger group, collection, or series of works.

Objects referred to may be corresponding objects or objects created to be shown together with the object in question, but also e.g., literature (bibliographic objects) in which the object is documented or mentioned forms a „relatedWorkSet“. If there is more than one object referred to the set should be repeated.

Repeatable

Not required

V.2.1.1. Sub-element: Link Related Work

Element-Tag: <museumdat:linkRelatedWork>

Description: An uri/url reference that is universal and in the worldwide web environment.

Attributes: linkscheme, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: From data in the generating system (e.g., marc0359).

V.2.1.2. Sub-element: Related Work Relationship Type

Element-Tag: <museumdat:relatedWorkRelType>

Description: A term describing the nature of the relationship between the work at hand and the related entity.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Empfohlene Werte: part of, larger context for, model of, model for, study of, study forrendering of, copy of, ... The default is „related to“.

Note: For implementation of the data: Note that relationships are conceptually reciprocal, but the Relationship Type is often different on either side of the relationship (e.g., one work is part of a second work, but from the point of view of the second record, the first work is the larger context for the second work). Whether or not relationships are physically reciprocal as implemented in systems is a local decision.

V.2.1.3. Sub-element: Label for Related Work/Group/Collection/Series

Element-Tag: <museumdat:labelRelatedWork>

Description: An identification of the related work, group, collection, or series that will be meaningful to end-users, including some or all of the following information, as necessary for clarity and if known: title, creator, object/work type, and creation date. Display it with the Location of Related Work.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Ideally generated from fields/elements in the related record.

V.2.1.4. Sub-element: Location of Related Work

Element-Tag: <museumdat:locRelatedWork>

Description: The current location of the related work, generally a repository or, for architecture and monumental works, a geographic place. For series and other works published in multiples, location may not be applicable.

Attributess: relWorkID locID. locIDtype, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Ideally generated from fields/elements in the related record.

Note: The relWorkID attribute is the repository's unique numeric or alphanumeric identifier for the work. The locIDtype is the authoritative source that supplied the locID. The locID attribute is the unique code identifying this repository.

Tagging examples:

```
<museumdat:relatedWorksWrap>
  <museumdat:relatedWorkSet>
    <museumdat:linkRelatedWork>obj
      00120167</museumdat:linkRelatedWork>
    <museumdat:relatedWorkRelType
      museumdat:encodinganalog="5007/5007">
      Teil von</museumdat:relatedWorkRelType>
    <museumdat:labelRelatedWork>Braun, Kaspar (1807) & Schneider,
      Friedrich: Münchener Bilderbögen, 1848-1870, Germanisches
      Nationalmuseum Nürnberg</museumdat:labelRelatedWork>
  </museumdat:relatedWorkSet>
</museumdat:relatedWorkWrap>
```

```
<museumdat:relatedWorksWrap>
  <museumdat:relatedWorkSet>
    <museumdat:relatedWorkRelType>
      Dokumentiert in</museumdat:relatedWorkRelType>
    <museumdat:labelRelatedWork>
      Rodekamp, Volker (Hrsg): Leipzig Stadt der wa(h)ren Wunder. 500
      Jahre Reichsmesseprivileg. Katalog zur Ausstellung, Leipzig 1997,
      S. 207.</museumdat:labelRelatedWork>
  </museumdat:relatedWorkSet>
</museumdat:relatedWorkWrap>
```

Display examples:

Bezugsobjekt:

Teil von:

Braun, Kaspar (1807) & Schneider, Friedrich: Münchener Bilderbögen,
1848-1870, Germanisches Nationalmuseum Nürnberg

Bezugsobjekt:

Dokumentiert in:

Rodekamp, Volker (Hrsg): Leipzig Stadt der wa(h)ren Wunder. 500 Jahre
Reichsmesseprivileg. Katalog zur Ausstellung, Leipzig 1997, S. 207

Administrative Metadata

VI. Element: Administrative Metadata Wrapper

Element-Tag: <museumdat:administrativeMetadata>

Description: A wrapper for administrative and resource metadata.

Non-repeatable

Required

VI.1. Element: Rights for Work

identical to CDWA Lite 20. Rights for Work

Element-Tag: <museumdat:rightsWork>

Description: Information about rights management; may include copyright and other intellectual property statements required for use regarding the work. If the holder of the reproduction rights to the image/resource differs from the rights for the work, use rightsResource described below.

Attribut: type, encodinganalog, label, xml:lang

Repeatable

Not required

Tagging examples:

Display examples:

VI.2. Element: Record Wrapper

identical to CDWA Lite 21. Record Wrapper but note the minor changes in VI.2.3 and VI.2.4

Element-Tag: <museumdat:recordWrap>

Description: A wrapper for information about the record that contains the cataloguing information.

Non-repeatable

Required

VI.2.1. Sub-element: Record ID

Element-Tag: <museumdat:recordID>

Description: A unique record identification in the contributor's (local) system.

Attribut: type, encodinganalog, label, xml:lang

Repeatable

Required

VI.2.2. Sub-element: Record Type

Element-Tag: <museumdat:recordType>

Description: Term establishing whether the record represents an individual item or a collection, series, or group of works.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Required

Anmerkung: It is required to designate the Record type. The default is item.

Data values: item, collection, series, group, volume, fonds, ...

VI.2.3. Sub-element: Record Source

identical to CDWA Lite 21.3 Record Source but required

Element-Tag: <museumdat:recordSource>

Description: The source of information in this record, generally the repository or other institution.

Attribut: encodinganalog, label, xml:lang

Repeatable

Required

Data values:

VI.2.4. Sub-element: Record Metadata Information Set

identical to CDWA Lite 21.4 Record Metadata Information Wrapper, but the tag has been renamed into recordInfoSet because it is repeatable

Element-Tag: <museumdat:recordInfoSet>

Description: Wrapper for metadata information about this record.

Attribut: type

Repeatable

Not required

Note: The metadata information contains the reference to the „museumdat“-metadata set but may also be constituted by reference to an “object data sheet” in an online database.

VI.2.4.1. Sub-element: Record Info ID

Element-Tag: <museumdat:recordinfoID>

Description: Unique ID of the metadata. Record Info ID has the same definition as Record ID but out of the context of original local system, such as a persistent identifier or an oai identifier (e.g., oai1:getty.edu:paintings/00001234 attribute type= oai).

Attribut: type, encodinganalog, label, xml:lang

Repeatable

Not required

VI.2.4.2. Sub-element: Record Info Link

Element-Tag: <museumdat:recordinfoLink>

Description: Link of the metadata, e.g., to the object data sheet (not the same as link of the object).

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

VI.2.4.3. Sub-element: Record Relationship ID

Element-Tag: <museumdat:recordRelID>

Description: Eindeutige Unique ID of the metadata of the related object.

Attribut: type

Repeatable

Not required

VI.2.4.4. Sub-element: Record Metadata Location

Element-Tag: <museumdat:recordMetadataLoc>

Description: Pointer(s) to other metadata (administrative, technical, structural).

Attribut: type, encodinganalog, label, xml:lang

Repeatable

Not required

VI.2.4.5. Sub-element: Record Metadata Date

Element-Tag: <museumdat:recordMetadataDate>

Description: Creation date or date modified of the metadata record.

Attribut: type, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Format will vary depending upon implementation.

Tagging examples:

```
<museumdat:recordWrap>
  <museumdat:recordID
    museumdat:type="digiID">145_6570</museumdat:recordID>
  <museumdat:recordType>Einzelobjekt</museumdat:recordType>
  <museumdat:recordSource>DigiCult Schleswig-
    Holstein</museumdat:recordSource>
  <museumdat:recordInfoSet>
  <museumdat:recordInfoLink>http://www.museen-
    sh.de/ml/digi\_einzBild.php?pi=145\_6570&s=1
  </museumdat:recordInfoLink>
  </museumdat:recordInfoSet>
</museumdat:recordWrap>
```

```
<museumdat:recordWrap>
  <museumdat:recordID type="GOS-Nummer">a0000645</museumdat:recordID>
  <museumdat:recordType>Einzelobjekt</museumdat:recordType>
  <museumdat:recordSource>Stadtgeschichtliches Museum
    Leipzig</museumdat:recordSource>
  <museumdat:recordInfoSet type="Datenblatt">
  <museumdat:recordInfoLink>http://museum.zib.de/sgml/satz.php?id=a0000645
  </museumdat:recordInfoLink>
  </museumdat:recordInfoSet>
</museumdat:recordWrap>
```

Display examples:

Datensatztyp: Einzelobjekt

Datensatzquelle: DigiCult Schleswig-Holstein, DigiID 145_6570

Datensatztyp: Einzelobjekt

Datensatzquelle: Stadtgeschichtliches Museum Leipzig, GOS-Nummer a0000645

VI.3. Element: Resource Wrapper

identical to CDWA Lite 2.2. Resource Wrapper

Element-Tag: <museumdat:resourceWrap>

Description: A wrapper for information about the images or other resources that serve as visual surrogates of the work, including digital images, slides, transparencies, photographs, videos, audio, and moving images, but excluding items that are considered works in their own right. For works such as drawings, prints, paintings, or photographs considered art, and other works that themselves contain representations of other works, use Related Works and/or Subjects.

Non-repeatable

Not required

VI.3.1. Sub-element: Resource Set

Element-Tag: <museumdat:resourceSet>

Description: A wrapper for sets of resource information. If there are multiple resources associated with the work, repeat the Resource Set sub-element.

Repeatable

Not required

VI.3.1.1. Sub-element: Link Resource

Element-Tag: <museumdat:linkResource>

Description: A uri/url reference that is universal in the worldwide web environment.

Attribut: type, formatresource, encodinganalog, label, xml:lang

Non-repeatable

Not required

VI.3.1.2. Sub-element: Resource Identification Number

Element-Tag: <museumdat:resourceID>

Description: The unique numeric or alphanumeric identification of the resource.

Attribut: type, encodinganalog, label, xml:lang

Non-repeatable

Not required

VI.3.1.3. Sub-element: Resource Relationship Type

Element-Tag: <museumdat:resourceRelType>

Description: The relationship of an image or other resource to the work being described.

Attribut: type, encodinganalog, label, xml:lang

Repeatable

Not required

Datenwerte: conservation image, documentary image, contextual image, historical image, reconstruction, installation image ...

VI.3.1.4. Sub-element: Resource Type

Element-Tag: <museumdat:resourceType>

Attribut: termsource, termsourceID, encodinganalog, label, xml:lang

Description: The generic identification of the medium of the image or other resource.

Repeatable

Not required

Data values: Controlled. Digital image, photograph, slide, videotape, X-ray photograph, negative, ... Recommendations of vocabularies will follow.

VI.3.1.5. Sub-element: Rights for Resource

Element-Tag: <museumdat:rightsResource>

Description: Information about rights regarding the image or other resource. Use this sub-element if the holder of the reproduction rights for the image/resource differs from the holder of rights for the work. See also Rights Work above. (E.g., the work rights are "©National Museum of African Art, Smithsonian Institution (Washington DC)," but the image rights are "Photo © Frank Khoury.")

Attribut: type, encodinganalog, label, xml:lang

Repeatable
Not required

VI.3.1.6. Sub-element: Resource View Description

Element-Tag: <museumdat:resourceViewDescription>

Description: A description of the spatial, chronological, or contextual aspects of the work as captured in the view of this particular image or other resource.

Attribut: type, encodinganalog, label, xml:lang

Non-repeatable

Not required

VI.3.1.7. Sub-element: Resource View Type

Element-Tag: <museumdat:resourceViewType>

Description: The specific vantage point or perspective of the view.

Attribut: termsource, termsourceID, encodinganalog, label, xml:lang

Repeatable

Not required

Datenwerte: Controlled. Recommendations of vocabularies will follow.

VI.3.1.8. Sub-element: Resource View Subject Term

Element-Tag: <museumdat:resourceViewSubjectTerm>

Description: Terms or phrases that characterize the subject matter of the work as it is depicted in a specific image or other resource.

Attributes: type, termsource, termsourceID, encodinganalog, label, xml:lang

Repeatable

Not required

Data values: Controlled. E.g., IconClass, museumsvokabular.de, SWD, AAT

Recommended values for type attribute: conceptTerm, iconography, eventName, personalName, corporateBodyName, geographicName

VI.3.1.9. Sub-element: Resource View Date

Element-Tag: <museumdat:resourceViewDate>

Description: A date or range of dates associated with the creation or production of the image. This is not necessarily the same as the date of production of the resource (e.g., a print of a negative may be made years after the image was first captured on film). For the date of the resource, use Resource Date.

Attributes: earliestdate, latestdate, termsource, encodinganalog, label, xml:lang

Non-repeatable

Not required

Data values: Format will vary depending upon implementation.

VI.3.1.10. Sub-element: Resource Source

Element-Tag: <museumdat:resourceSource>

Description: Identification of the agency, individual, repository, or publication from which the image or other resource was obtained, including a bibliographic citation in the case of copy photography. Include this sub-element when the source of the image/resource differs from the source named in Record Source.

Attribut: type, encodinganalog, label, xml:lang
Repeatable
Not required
Data values:

VI.3.1.11. Sub-element: Link Related Resource

Element-Tag: <museumdat:linkRelatedResource>

Description: A reference to an image or other resource that is related to the resource in this Resource Set, generally linking a group or collection of images or other resources to members of the group or collection. For multiple related resources, repeat this element.

Attribut: linkscheme

Repeatable

Not required

VI.3.1.11.1. Sub-element: Related Resource Relationship Type

Element-Tag: <museumdat:relatedResourceRelType>

Beschreibung: A term describing the nature of the relationship between the resource at hand and the related resource.

Attribut: encodinganalog, label, xml:lang

Non-repeatable

Not required

Recommended values: part of, larger context for, related to, ...

VI.3.1.11.2. Sub-element: Label for Related Resource

Element-Tag: <museumdat:labelRelatedResource>

Description: An identification of the related image or other resource that will be meaningful to end-users.

Attribut: encodinganalog, label, xml:lang

Repeatable

Not required

VI.3.1.12. Sub-element: Resource Metadata Location

Element-Tag: <museumdat:resourceMetadataLoc>

Description: Pointer(s) to other metadata (administrative, technical, structural).

Attribut: type, encodinganalog, label, xml:lang

Repeatable

Not required

Tagging examples:

```
<museumdat:resourceWrap>
  <museumdat:resourceSet>
    <museumdat:resourceID museumdat:encodinganalog="8450/8470">H
      3672/1213</museumdat:resourceID>
    <museumdat:resourceType>Negativ</museumdat:resourceType>
    <museumdat:rightsResource
      museumdat:encodinganalog="8450/8460">Germanisches
      Nationalmuseum</museumdat:rightsResource>
    <museumdat:resourceViewDate museumdat:earliestdate="1986"
      museumdat:latestdate="1986"
```

```

    museumdat:encodinganalog="8450/8494">1986</museumdat:resourceViewDate>
<museumdat:resourceSource
  museumdat:encodinganalog="8450/8460">Germanisches
  Nationalmuseum</museumdat:resourceSource>
</museumdat:resourceSet>
<museumdat:resourceSet>
<museumdat:linkResource>http://www.bildindex.de/bilder/mi08044c08a.jpg</
  museumdat:linkResource>
<museumdat:resourceID
  museumdat:encodinganalog="8450/8540">mi08044c08a.jpg</museumdat:
  resourceID>
<museumdat:resourceType>Digitalfoto</museumdat:resourceType>
<museumdat:rightsResource
  museumdat:encodinganalog="8450/8460">Germanisches
  Nationalmuseum</museumdat:rightsResource>
</museumdat:resourceSet>
</museumdat:resourceWrap>

<museumdat:resourceWrap>
  <museumdat:resourceSet>
    <museumdat:linkResource museumdat:type="Thumbnail"
      museumdat:formatResource="jpg">
      http://museum.zib.de/sgml/bilder/klein/gm000736.jpg
    </museumdat:linkResource>
    <museumdat:resourceType>Digitalfoto</museumdat:resourceType>
  </museumdat:resourceSet>
</museumdat:resourceWrap>

```

Examples

In this section some particular examples from different repositories are documented en bloc. There will be added little by little more examples.

Deutsches Historisches Museum

Möbel: „Bücherschrank aus dem Arbeitszimmer Wilhelm Piecks in Schloss Niederschönhausen“, Inv.Nr. L 97/9.145

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<museumdat:museumdatWrap xmlns:museumdat="http://museum.zib.de/museumdat"
  xmlns="http://museum.zib.de/museumdat" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://museum.zib.de/museumdat
http://museum.zib.de/museumdat/museumdat-v1.0.xsd museumdat:relatedencoding="DHM/FORMAT99"
  = "RFC 3066" = "de">
  <museumdat:museumdat>
  <museumdat:descriptiveMetadata>
  <museumdat:objectClassificationWrap>
  <museumdat:objectWorkTypeWrap>
  <museumdat:objectWorkType>Möbel </museumdat:objectWorkType>
  <museumdat:objectWorkType>Bücherschrank</museumdat:objectWorkType>
  </museumdat:objectWorkTypeWrap>
  <museumdat:classificationWrap>
  <museumdat:classification>Kunstgewerbe</museumdat:classification>
  </museumdat:classificationWrap>
  </museumdat:objectClassificationWrap>
  <museumdat:identificationWrap>
  <museumdat:titleWrap>
  <museumdat:titleSet>
  <museumdat:title>Bücherschrank aus dem Arbeitszimmer Wilhelm Piecks in Schloss
Niederschönhausen</museumdat:title>
  </museumdat:titleSet>
  </museumdat:titleWrap>
```

```

<museumdat:repositoryWrap>
  <museumdat:repositorySet>
    <museumdat:repositoryName>Deutsches Historisches Museum</museumdat:repositoryName>
    <museumdat:workID          ="Inventarnummer">L 97/9.145</museumdat:workID>
  </museumdat:repositorySet>
</museumdat:repositoryWrap>
</museumdat:identificationWrap>
<museumdat:descriptionWrap>
  <museumdat:displayCreator>unbekannt</museumdat:displayCreator>
  <museumdat:displayCreationDate>um 1950</museumdat:displayCreationDate>
  <museumdat:displayCreationLocation>Deutsche Demokratische
Republik</museumdat:displayCreationLocation>
  <museumdat:displayMeasurements>Maße: 220,5 cm (Höhe), 270 cm (Breite), 71 cm
(Tiefe)</museumdat:displayMeasurements>
  <museumdat:displayMaterialsTech>Holz, Messing (Einlagen)</museumdat:displayMaterialsTech>
</museumdat:descriptionWrap>
<museumdat:eventWrap>
  <museumdat:indexingEventWrap>
    <museumdat:indexingEventSet>
      <museumdat:eventType>Herstellung</museumdat:eventType>
      <museumdat:indexingDates>
        <museumdat:earliestDate>1949</museumdat:earliestDate>
        <museumdat:latestDate>1951</museumdat:latestDate>
      </museumdat:indexingDates>
      <museumdat:indexingLocationWrap>
        <museumdat:indexingLocationSet>
          <museumdat:nameLocationSet>
            <museumdat:nameLocation>Deutschland</museumdat:nameLocation>
          </museumdat:nameLocationSet>
          <museumdat:nameLocationSet>
            <museumdat:nameLocation>Deutsche Demokratische Republik</museumdat:nameLocation>
          </museumdat:nameLocationSet>
        </museumdat:indexingLocationSet>
      </museumdat:indexingLocationWrap>
    </museumdat:indexingEventSet>
    <museumdat:indexingEventSet>
      <museumdat:eventType>Gebrauch</museumdat:eventType>
      <museumdat:indexingActorSet>
        <museumdat:nameActorSet>
          <museumdat:nameActor          ="DHM Personendatei"
            ="PE019212">Pieck, Wilhelm</museumdat:nameActor>
        </museumdat:nameActorSet>
        <museumdat:vitalDatesActor          ="1876.01.03"
            ="1960.09.07">1876-1960</museumdat:vitalDatesActor>
      <museumdat:genderActor>männlich</museumdat:genderActor>
      <museumdat:roleActor>Nutzer</museumdat:roleActor>
    </museumdat:indexingActorSet>
    <museumdat:indexingLocationWrap>
      <museumdat:indexingLocationSet>
        <museumdat:nameLocationSet>
          <museumdat:nameLocation>Berlin, Schloß Niederschönhausen</museumdat:nameLocation>
        </museumdat:nameLocationSet>
      </museumdat:indexingLocationSet>
    </museumdat:indexingLocationWrap>

```



```

</museumdat:indexingEventSet>
</museumdat:indexingEventWrap>
<museumdat:indexingMeasurementsWrap>
<museumdat:indexingMeasurementsSet>
  <museumdat:measurementsSet          = "Höhe"          = "cm"
    = "220,5"/>
  <museumdat:measurementsSet          = "Breite"         = "cm"
    = "270"/>
  <museumdat:measurementsSet          = "Tiefe"         = "cm"
    = "71"/>
</museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>
<museumdat:indexingMaterialsTechWrap>
  <museumdat:indexingMaterialsTechSet = "Material">
    <museumdat:termMaterialsTech>Holz</museumdat:termMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
  <museumdat:indexingMaterialsTechSet = "Material">
    <museumdat:termMaterialsTech>Messing</museumdat:termMaterialsTech>
    <museumdat:extentMaterialsTech>Einlagen</museumdat:extentMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
</museumdat:indexingMaterialsTechWrap>
</museumdat:eventWrap>
</museumdat:descriptiveMetadata>
<museumdat:administrativeMetadata>
<museumdat:recordWrap>
  <museumdat:recordID          = "GOS-Nummer">97001270</museumdat:recordID>
  <museumdat:recordType>Einzelobjekt</museumdat:recordType>
  <museumdat:recordSource>Deutsches Historisches Museum</museumdat:recordSource>
</museumdat:recordWrap>
<museumdat:resourceWrap>
<museumdat:resourceSet>
  <museumdat:resourceID>97001270.jpg</museumdat:resourceID>
  <museumdat:resourceRelType>Dokumentation</museumdat:resourceRelType>
  <museumdat:resourceType>Digitales Bild</museumdat:resourceType>
</museumdat:resourceSet>
</museumdat:resourceWrap>
</museumdat:administrativeMetadata>
</museumdat:museumdat>
</museumdat:museumdatWrap>

```

DigiCult Schleswig-Holstein

Mineral: „Rotkupfererz mit ged. Kupfer“, Inv.Nr. 37/14 (Mineralogisches Museum)

```
<?xml version="1.0" encoding="UTF-8"?>
<museumdat:museumdatWrap xmlns:museumdat="http://museum.zib.de/museumdat"
  xmlns="http://www.w3.org/2001/XMLSchema-instance"
  xmlns:xsi="http://museum.zib.de/museumdat http://museum.zib.de/museumdat/museumdat-
v1.0.xsd" xsi:schemaLocation="http://museum.zib.de/museumdat http://museum.zib.de/museumdat-
  = "de" >
<museumdat:museumdat>
<museumdat:descriptiveMetadata>
<museumdat:objectClassificationWrap>
<museumdat:objectWorkTypeWrap>
<museumdat:objectWorkType>Mineral</museumdat:objectWorkType>
</museumdat:objectWorkTypeWrap>
<museumdat:classificationWrap>
<museumdat:classification xmlns="http://www.w3.org/2001/XMLSchema-instance"
  = "5.4" = "DokBase.xTree"
  = "Mineral" = "de" >Kupfer</museumdat:classification>
<museumdat:classification xmlns="http://www.w3.org/2001/XMLSchema-instance"
  = "5.4" = "DokBase.xTree"
  = "yes" = "en" >Copper</museumdat:classification>
<museumdat:classification xmlns="http://www.w3.org/2001/XMLSchema-instance"
  = "5.4" = "DokBase.xTree"
  = "yes" = "fr" >Cuivre</museumdat:classification>
<museumdat:classification xmlns="http://www.w3.org/2001/XMLSchema-instance"
  = "5.4" = "DokBase.xTree"
  = "yes" = "lat" >Cuprum</museumdat:classification>
<museumdat:classification xmlns="http://www.w3.org/2001/XMLSchema-instance"
  = "5.4" = "DokBase.xTree"
  = "yes" = "lat" >Aes Cyprium</museumdat:classification>
<museumdat:classification xmlns="http://www.w3.org/2001/XMLSchema-instance"
  = "4033734-0" = "SWD"
  = "yes" >Kupfer</museumdat:classification>
</museumdat:classificationWrap>
</museumdat:objectClassificationWrap>
<museumdat:identificationWrap>
<museumdat:titleWrap>
<museumdat:titleSet>
<museumdat:title>Rotkupfererz mit ged. Kupfer</museumdat:title>
</museumdat:titleSet>
</museumdat:titleWrap>
<museumdat:repositoryWrap>
```


Foto Marburg

Bilderbogen: „Münchener Bilderbogen Nro. 91: "Auf dem Dorfe."“, Inv.Nr. H 3672 (Germanisches Nationalmuseum, Graphische Sammlung (Nürnberg))

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<museumdat:museumdatWrap      = "http://museum.zib.de/museumdat"
      = "http://museum.zib.de/museumdat"      = "http://www.w3.org/2001/XMLSchema-
instance"      = "http://museum.zib.de/museumdat
http://museum.zib.de/museumdat/museumdat-v1.0.xsd"      = "MIDAS">
<museumdat:museumdat>
<museumdat:descriptiveMetadata>
<museumdat:objectClassificationWrap>
<museumdat:objectWorkTypeWrap>
<museumdat:objectWorkType      = "no"
      = "5230">Bilderbogen</museumdat:objectWorkType>
<museumdat:objectWorkType      = "yes"
      = "5230/0301">Massenkommunikation</museumdat:objectWorkType>
```

```

</museumdat:objectWorkTypeWrap>
<museumdat:classificationWrap>
  <museumdat:classification
    = "no"
    = "5220">Einblattdruck</museumdat:classification>
  <museumdat:classification
    = "yes"
    = "5220/0301">Druckgraphik</museumdat:classification>
</museumdat:classificationWrap>
</museumdat:objectClassificationWrap>
<museumdat:identificationWrap>
  <museumdat:titleWrap>
    <museumdat:titleSet>
      <museumdat:title
        = "preferred"
        = "5200">Münchener
Bilderbogen Nro. 91: "Auf dem Dorfe."</museumdat:title>
    </museumdat:titleSet>
  </museumdat:titleWrap>
  <museumdat:repositoryWrap>
    <museumdat:repositorySet
      = "current">
      <museumdat:repositoryName>Germanisches Nationalmuseum, Graphische Sammlung
(Nürnberg)</museumdat:repositoryName>
    <museumdat:workID
      = "Inventarnummer"
      = "ob28/2950">H 3672</museumdat:workID>
    <museumdat:workID
      = "Kapselnummer"
      = "ob28/9066">Kapsel 1213</museumdat:workID>
  </museumdat:repositorySet>
</museumdat:repositoryWrap>
</museumdat:identificationWrap>
<museumdat:descriptionWrap>
  <museumdat:displayCreator>Joseph von Camerlohr (Deutschland, 1820-1851), Zeichner; Andreas Müller
(1831) (Deutschland, 1831-1901), Zeichner, Johann Rehle (Deutschland, 1814-1846), Zeichner; Moritz von
Schwind (Österreich, 1814-1846), Zeichner; Carl Stauber (Deutschland, 1815-1902),
Zeichner</museumdat:displayCreator>
  <museumdat:displayCreationDate
    = "5064">nach
1871</museumdat:displayCreationDate>
  <museumdat:displayCreationLocation>München (Druckort)</museumdat:displayCreationLocation>
  <museumdat:displayMeasurements>44,3 x 35,4 cm (Blatt); 10
Bildfelder</museumdat:displayMeasurements>
  <museumdat:displayMaterialsTech>Papier; Holzstich,
museumdat:typendruck</museumdat:displayMaterialsTech>
  <displayStateEditionWrap>
    <displayEdition>5. Auflage</displayEdition>
  </displayStateEditionWrap>
  <museumdat:displayEventWrap>
    <museumdat:displayEvent>Druck: C. Wolf und Sohn, Druck</museumdat:displayEvent>
    <museumdat:displayEvent>Publikation: Kaspar Braun (1807) (Deutschland, 1807-1877), Verleger;
Friedrich Schneider (Deutschland, 1815-1864), Verleger</museumdat:displayEvent>
  </museumdat:displayEventWrap>
</museumdat:descriptionWrap>
<museumdat:eventWrap>
  <museumdat:indexingEventWrap>
    <museumdat:indexingEventSet>
      <museumdat:eventType>Zeichnung</museumdat:eventType>
    <museumdat:indexingActorSet>
      <museumdat:nameActorSet>

```

```

<museumdat:nameActor
    = "10153461"
    = "DISKUS-KUE-Datei"
    = "personalName"
    = "preferred"
    = "ob30/3100">Camerlohr, Joseph von</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nameActorSet>
<museumdat:nameActor
    = "10153461"
    = "DISKUS-KUE-Datei"
    = "personalName"
    = "alternate"
    = "ob30/3105">Cammerloher, Josef von</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nationalityActor
    = "ob30/3200">Deutschland</museumdat:nationalityActor>
<museumdat:vitalDatesActor
    = "1820.09.19"
    = "ob30/3270|ob30/3330"
    = "1851.07.06">1820-
1851</museumdat:vitalDatesActor>
<museumdat:genderActor
    = "ob30/3140">männlich</museumdat:genderActor>
<museumdat:roleActor
    = "ob30/3475">Zeichner</museumdat:roleActor>
</museumdat:indexingActorSet>
</museumdat:indexingActorSet>
<museumdat:nameActorSet>
<museumdat:nameActor
    = "00280084"
    = "DISKUS-KUE-Datei"
    = "personalName"
    = "preferred"
    = "ob30/3100">Müller, Andreas (1831)</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nameActorSet>
<museumdat:nameActor
    = "00280084"
    = "DISKUS-KUE-Datei"
    = "personalName"
    = "alternate"
    = "ob30/3105">Komponiermüller</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nationalityActor
    = "ob30/3200">Deutschland</museumdat:nationalityActor>
<museumdat:vitalDatesActor
    = "1831.07.23"
    = "ob30/3270|ob30/3330"
    = "1901.12.07">1831-
1901</museumdat:vitalDatesActor>
<museumdat:genderActor
    = "ob30/3140">männlich</museumdat:genderActor>
<museumdat:roleActor
    = "ob30/3475">Zeichner</museumdat:roleActor>
</museumdat:indexingActorSet>
</museumdat:indexingActorSet>
<museumdat:nameActorSet>
<museumdat:nameActor
    = "00280195"
    = "DISKUS-KUE-Datei"
    = "personalName"
    = "preferred"
    = "ob30/3100">Rehle, Johann</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nationalityActor
    = "ob30/3200">Deutschland</museumdat:nationalityActor>
<museumdat:vitalDatesActor
    = "1814"
    = "ob30/3270|ob30/3330"
    = "1846.12.20">1814-
1846</museumdat:vitalDatesActor>
<museumdat:genderActor
    = "ob30/3140">männlich</museumdat:genderActor>
<museumdat:roleActor
    = "ob30/3475">Zeichner</museumdat:roleActor>
</museumdat:indexingActorSet>
</museumdat:indexingActorSet>

```

```

<museumdat:nameActorSet>
  <museumdat:nameActor
    = "02531005"
    = "DISKUS-KUE-Datei"
    = "personalName"
    = "preferred"
    = "ob30/3100">Schwind, Moritz von</museumdat:nameActor>
  </museumdat:nameActorSet>
<museumdat:nationalityActor
  = "ob30/3200">Österreich</museumdat:nationalityActor>
<museumdat:vitalDatesActor
  = "1804.01.21"
  = "ob30/3270|ob30/3330"
  = "1871.02.08">1804-
1871</museumdat:vitalDatesActor>
<museumdat:genderActor
  = "ob30/3140">männlich</museumdat:genderActor>
<museumdat:roleActor
  = "ob30/3475">Zeichner</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:indexingActorSet>
<museumdat:nameActorSet>
  <museumdat:nameActor
    = "00280344"
    = "DISKUS-KUE-Datei"
    = "personalName"
    = "preferred"
    = "ob30/3100">Stauber, Carl</museumdat:nameActor>
  </museumdat:nameActorSet>
<museumdat:nationalityActor
  = "ob30/3200">Deutschland</museumdat:nationalityActor>
<museumdat:vitalDatesActor
  = "1815.11.03"
  = "ob30/3270|ob30/3330"
  = "1902.11.24">1815-
1902</museumdat:vitalDatesActor>
<museumdat:genderActor
  = "ob30/3140">männlich</museumdat:genderActor>
<museumdat:roleActor
  = "ob30/3475">Zeichner</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:indexingDates>
  <museumdat:earliestDate
    = "5064">1871</museumdat:earliestDate>
  <museumdat:latestDate
    = "5064">1871</museumdat:latestDate>
</museumdat:indexingDates>
</museumdat:indexingEventSet>
<museumdat:indexingEventSet>
<museumdat:eventType>Druck</museumdat:eventType>
<museumdat:indexingActorSet>
<museumdat:nameActorSet>
  <museumdat:nameActor
    = "corporateName"
    = "ob35/3600">Wolf, C. und Sohn</museumdat:nameActor>
  </museumdat:nameActorSet>
<museumdat:roleActor
  = "ob35/3975">Druck</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:indexingLocationWrap>
<museumdat:indexingLocationSet
  = "Gemeinde">
  <museumdat:nameLocationSet>
  <museumdat:nameLocation
    = "DISKUS-GEO-Datei"
    = "no"
    = "5140/5145">Augsburg</museumdat:nameLocation>
  </museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
<museumdat:indexingLocationSet
  = "Bundesland">
  <museumdat:nameLocationSet>

```

```

<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "yes"
    = "5140/2190">Bayern</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
<museumdat:indexingLocationSet                        = "Staat">
<museumdat:nameLocationSet>
<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "yes"
    = "5140/2194">Deutschland</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
</museumdat:indexingLocationWrap>
</museumdat:indexingEventSet>
<museumdat:indexingEventSet>
<museumdat:eventType>Publikation</museumdat:eventType>
<museumdat:indexingActorSet>
<museumdat:nameActorSet>
<museumdat:nameActor                                = "DISKUS-KUE-Datei"
    = "00280303"                                = "personalName"                                = "preferred"
    = "ob30/3100">Schneider, Friedrich</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nationalityActor
    = "ob30/3200">Deutschland</museumdat:nationalityActor>
<museumdat:vitalDatesActor                            = "ob30/3270|ob30/3330"
    = "1815"                                = "1864">1815-1864</museumdat:vitalDatesActor>
<museumdat:genderActor
    = "ob30/3140">männlich</museumdat:genderActor>
<museumdat:roleActor                                  = "ob30/3475">Verleger</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:indexingActorSet>
<museumdat:nameActorSet>
<museumdat:nameActor                                = "DISKUS-KUE-Datei"
    = "03691262"                                = "personalName"                                = "preferred"
    = "ob30/3100">Braun, Kaspar (1807)</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nameActorSet>
<museumdat:nameActor                                = "DISKUS-KUE-Datei"
    = "03691262"                                = "personalName"                                = "alternate"
    = "ob30/3105">Braun, Caspar</museumdat:nameActor>
</museumdat:nameActorSet>
<museumdat:nationalityActor
    = "ob30/3200">Deutschland</museumdat:nationalityActor>
<museumdat:vitalDatesActor                            = "ob30/3270|ob30/3330"
    = "1807.08.13"                            = "1877.10.20">1807-
1877</museumdat:vitalDatesActor>
<museumdat:genderActor
    = "ob30/3140">männlich</museumdat:genderActor>
<museumdat:roleActor                                  = "ob30/3475">Verleger</museumdat:roleActor>
</museumdat:indexingActorSet>
<museumdat:indexingLocationWrap>
<museumdat:indexingLocationSet                        = "Gemeinde">
<museumdat:nameLocationSet>

```



```

<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "no"
    = "5140/5145">München</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
<museumdat:indexingLocationSet                        = "Bundesland">
<museumdat:nameLocationSet>
<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "yes"
    = "5140/2190">Bayern</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
<museumdat:indexingLocationSet                        = "Staat">
<museumdat:nameLocationSet>
<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "yes"
    = "5140/2194">Deutschland</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
</museumdat:indexingLocationWrap>
</museumdat:indexingEventSet>
<museumdat:indexingEventSet>
<museumdat:eventType>Aufbewahrung</museumdat:eventType>
<museumdat:indexingLocationWrap>
<museumdat:indexingLocationSet                        = "Gemeinde">
<museumdat:nameLocationSet>
<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "no"
    = "ob28/2864">Nürnberg</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
<museumdat:indexingLocationSet                        = "Bundesland">
<museumdat:nameLocationSet>
<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "yes"
    = "5140/2190">Bayern</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
<museumdat:indexingLocationSet                        = "Staat">
<museumdat:nameLocationSet>
<museumdat:nameLocation                                = "DISKUS-GEO-Datei"
    = "yes"
    = "5140/2194">Deutschland</museumdat:nameLocation>
</museumdat:nameLocationSet>
</museumdat:indexingLocationSet>
</museumdat:indexingLocationWrap>
</museumdat:indexingEventSet>
</museumdat:indexingEventWrap>
<museumdat:indexingMeasurementsWrap>
<museumdat:indexingMeasurementsSet>
<museumdat:measurementsSet                            = "44,3"                = "cm"
    = "Höhe"/>
<museumdat:measurementsSet                            = "35,4"                = "cm"
    = "Breite"/>

```

```

    <museumdat:extentMeasurements>Blatt</museumdat:extentMeasurements>
  </museumdat:indexingMeasurementsSet>
</museumdat:indexingMeasurementsWrap>
<museumdat:indexingMaterialsTechWrap>
  <museumdat:indexingMaterialsTechSet
    = "Material">
  <museumdat:termMaterialsTech
    = "5260">Papier</museumdat:termMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
  <museumdat:indexingMaterialsTechSet
    = "Technik">
  <museumdat:termMaterialsTech
    = "5300">Holzstich</museumdat:termMaterialsTech>
  <museumdat:termMaterialsTech
    = "5300">Typendruck</museumdat:termMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
</museumdat:indexingMaterialsTechWrap>
</museumdat:eventWrap>
<museumdat:relationWrap>
  <museumdat:indexingSubjectWrap>
  <museumdat:indexingSubjectSet>
  <museumdat:subjectTerm
    = "Konzept"
    = "no"
    = "5500/5500">46 A 13
    = "Iconclass"
2</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "no"
    = "5500/5502">Dorfbewohner,
    = "Iconclass"
Dörfler</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/5504">Dorfbewohner &
    = "Iconclass"
Dörfler</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/60ed">Bürger(liche)</museumdat:subjectTerm>
    = "Iconclass"
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/61ed">Bürger(liche)</museumdat:subjectTerm>
    = "Iconclass"
  <museumdat:subjectTerm
    = "yes"
    = "5500/60dd">soziale Schichtung, soziale
    = "Iconclass"
Gruppen</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/61dd">Gesellschaft &
    = "Iconclass"
Schichtung</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/60cd">soziales und ökonomisches Leben,
    = "Iconclass"
Transport und Kommunikation</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/61cd">Gemeinschaft &
    = "Iconclass"
Gesellschaft</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/60ad">Gesellschaft, Zivilisation,
    = "Iconclass"
Kultur</museumdat:subjectTerm>
  <museumdat:subjectTerm
    = "Konzept"
    = "yes"
    = "5500/61ad">Gesellschaft &
    = "Iconclass"
& Kultur</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
</museumdat:indexingSubjectSet>

```

<museumdat:subjectTerm ="no">	= "Konzept" ="5500/5500"> 25 I	= "Iconclass"
24</museumdat:subjectTerm>		
<museumdat:subjectTerm ="no">	= "Konzept" ="5500/5502"> öffentliche Straße in einem	= "Iconclass"
Dorf</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/5504"> Straße &	= "Iconclass"
Dorf</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/60dd"> Dorf</museumdat:subjectTerm>	= "Iconclass"
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/61dd"> Dorf</museumdat:subjectTerm>	= "Iconclass"
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/60cd"> Stadtansicht; Landschaft mit von	= "Iconclass"
Menschen errichteten Anlagen</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/61cd"> Stadt &	= "Iconclass"
Landschaft</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/60ad"> Natur</museumdat:subjectTerm>	= "Iconclass"
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/61ad"> Natur</museumdat:subjectTerm>	= "Iconclass"
</museumdat:indexingSubjectSet>		
<museumdat:indexingSubjectSet>		
<museumdat:subjectTerm ="no">	= "Konzept" ="5500/5500"> 43 B	= "Iconclass"
31</museumdat:subjectTerm>		
<museumdat:subjectTerm ="no">	= "Konzept" ="5500/5502"> Gasthaus, Kaffeehaus, Kneipe,	= "Iconclass"
etc.</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/5504"> Gasthaus</museumdat:subjectTerm>	= "Iconclass"
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/60dd"> Erholung, Entspannung im	= "Iconclass"
Haus</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/61dd"> innen & im	= "Iconclass"
Haus</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/60cd"> Erholung,	= "Iconclass"
Entspannung</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/61cd"> Erholung &	= "Iconclass"
Entspannung</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/60ad"> Gesellschaft, Zivilisation,	= "Iconclass"
Kultur</museumdat:subjectTerm>		
<museumdat:subjectTerm ="yes">	= "Konzept" ="5500/61ad"> Gesellschaft & Zivilisation	= "Iconclass"
& Kultur</museumdat:subjectTerm>		
</museumdat:indexingSubjectSet>		
</museumdat:indexingSubjectWrap>		

```

<museumdat:relatedWorksWrap>
  <museumdat:relatedWorkSet>
    <museumdat:linkRelatedWork>obj 00120368</museumdat:linkRelatedWork>
    <museumdat:relatedWorkRelType="5007/5007">Auflage
von</museumdat:relatedWorkRelType>
  <museumdat:labelRelatedWork>Camerlohr, Joseph von: Münchener Bilderbogen Nro. 91: "Auf dem
Dorfe", Bilderbogen, 1851/1852, Germanisches Nationalmuseum
Nürnberg</museumdat:labelRelatedWork>
  </museumdat:relatedWorkSet>
</museumdat:relatedWorkSet>
  <museumdat:linkRelatedWork>obj 00120167</museumdat:linkRelatedWork>
  <museumdat:relatedWorkRelType="5007/5007">Teil
von</museumdat:relatedWorkRelType>
  <museumdat:labelRelatedWork>Braun, Kaspar (1807) & Schneider, Friedrich: Münchener
Bilderbögen, 1848-1870, Germanisches Nationalmuseum Nürnberg</museumdat:labelRelatedWork>
  </museumdat:relatedWorkSet>
</museumdat:relatedWorksWrap>
</museumdat:relationWrap>
</museumdat:descriptiveMetadata>
<museumdat:administrativeMetadata>
  <museumdat:rightsWork>© Germanisches Nationalmuseum Nürnberg</museumdat:rightsWork>
  <museumdat:recordWrap>
  <museumdat:recordID="5000">obj 00120252</museumdat:recordID>
  <museumdat:recordType>Einzelobjekt</museumdat:recordType>
  <museumdat:recordSource="9902">Foto
Marburg</museumdat:recordSource>
  </museumdat:recordWrap>
<museumdat:resourceWrap>
  <museumdat:resourceSet>
  <museumdat:resourceID="8450/8470">H
3672/1213</museumdat:resourceID>
  <museumdat:resourceType>Negativ</museumdat:resourceType>
  <museumdat:rightsResource="8450/8460">Germanisches
Nationalmuseum</museumdat:rightsResource>
  <museumdat:resourceViewDate="1986"="1986"
="8450/8494">1986</museumdat:resourceViewDate>
  <museumdat:resourceSource="8450/8460">Germanisches
Nationalmuseum</museumdat:resourceSource>
  </museumdat:resourceSet>
</museumdat:resourceSet>

<museumdat:linkResource>http://www.bildindex.de/bilder/mi08044c08a.jpg</museumdat:linkResource>
  <museumdat:resourceID="8450/8540">mi08044c08a.jpg</museumdat:resourceID>
  <museumdat:resourceType>Digitalfoto</museumdat:resourceType>
  <museumdat:rightsResource="8450/8460">Germanisches
Nationalmuseum</museumdat:rightsResource>
  </museumdat:resourceSet>
</museumdat:resourceWrap>
</museumdat:administrativeMetadata>
</museumdat:museumdat>
</museumdat:museumdatWrap>

```

Stadtgeschichtliches Museum Leipzig

Pilgerzeichen, Inv.Nr. Me B 34

Flügelglas, Inv.Nr. Gl 48

Gemälde, Inv.Nr. K/657/2001

Pilgerzeichen, Inv.Nr. Me B 34

Flügelglas,
Inv.Nr. Gl 48

Gemälde, Inv.Nr. K/657/2001

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<museumdat:museumdatWrap xmlns:museumdat="http://museum.zib.de/museumdat"
                             xmlns="http://museum.zib.de/museumdat"
                             xmlns:xsi="http://www.w3.org/2001/XMLSchema-
instance" xsi:schemaLocation="http://museum.zib.de/museumdat
http://museum.zib.de/museumdat/museumdat-v1.0.xsd"
                             type="RFC 3066" lang="de" = "KNORR"
                             >
  <museumdat:museumdat>
    <museumdat:descriptiveMetadata>
      <museumdat:objectClassificationWrap>
        <museumdat:objectWorkTypeWrap>
          <museumdat:objectWorkType>Pilgerzeichen</museumdat:objectWorkType>
        </museumdat:objectWorkTypeWrap>
        <museumdat:classificationWrap>
          <museumdat:classification type="SGML-Sammlungsstruktur"
                                   = "8">Vor- und Frühgeschichte/Archäologie</museumdat:classification>
          <museumdat:classification type="SGML-Sammlungsstruktur"
                                   = "8.3">Küas Sammlung</museumdat:classification>
        </museumdat:classificationWrap>
      </museumdat:objectClassificationWrap>
      <museumdat:identificationWrap>
        <museumdat:titleWrap>
          <museumdat:titleSet>
            <museumdat:title = "Bezeichnung">Pilgerzeichen</museumdat:title>
          </museumdat:titleSet>
        </museumdat:titleWrap>
      </museumdat:identificationWrap>
    </museumdat:museumdat>
  </museumdat:museumdatWrap>
</xml>
```

```

    <museumdat:repositorySet                                ="current">
      <museumdat:repositoryName>Stadtgeschichtliches Museum
Leipzig</museumdat:repositoryName>
      <museumdat:workID                                    ="Inventarnummer">Me B 34</museumdat:workID>
    </museumdat:repositorySet>
  </museumdat:repositoryWrap>
</museumdat:identificationWrap>
<museumdat:descriptionWrap>
  <museumdat:displayCreationDate>1464</museumdat:displayCreationDate>
  <museumdat:displayMeasurements>H: 9,4 cm</museumdat:displayMeasurements>
  <museumdat:displayMaterialsTech>Blei-Zinn-Legierung /
Gitterguss</museumdat:displayMaterialsTech>
  <museumdat:displayEventWrap><museumdat:displayEvent>Fundort: Ranstädter Steinweg, heute
Jahnallee</museumdat:displayEvent></museumdat:displayEventWrap>
  <museumdat:descriptiveNoteWrap>
    <museumdat:descriptiveNoteSet                        ="Objektbeschreibung">
      <museumdat:descriptiveNote>Pilgerzeichen. Schriftzeichen - "XIIII nothelfer by jhene".
Bestehend aus einer Blei- Zinn-Legierung in einer flachen Form gegossen. Die randlichen Ösen ermöglichten
die Befestigung des Zeichens an der Kleidung oder einer anderen Oberfläche. Im quadratischen Feld stehen
in drei Reihen übereinander je vier Nothelfer, im Giebel Maria mit dem Kind und
zwei weiteren Nothelfern. Unterhalb des Bildrahmens sind das sächsische Rauten- und das thüringische
Löwenwappen angebracht.</museumdat:descriptiveNote>
    </museumdat:descriptiveNoteSet >
    <museumdat:descriptiveNoteSet                        ="Objektbeschreibung">
      <museumdat:descriptiveNote>Im quadratischen Feld stehen in drei Reihen übereinander je
vier Nothelfer, im Giebel Maria mit dem Kind und zwei weiteren Nothelfern. Unterhalb des Bildrahmens sind
das sächsische Rauten- und das thüringische Löwenwappen angebracht.</museumdat:descriptiveNote>
    </museumdat:descriptiveNoteSet >
  </museumdat:descriptiveNoteWrap>
</museumdat:descriptionWrap>
<museumdat:eventWrap>
  <museumdat:indexingEventWrap>
    <museumdat:indexingEventSet>
      <museumdat:eventType>Herstellung</museumdat:eventType>
      <museumdat:indexingDates>
        <museumdat:earliestDate>1464</museumdat:earliestDate>
        <museumdat:latestDate>1464</museumdat:latestDate>
      </museumdat:indexingDates>
      <museumdat:indexingLocationWrap/>
    </museumdat:indexingEventSet>
    <museumdat:indexingEventSet>
      <museumdat:eventType>Fund</museumdat:eventType>
      <museumdat:indexingLocationWrap>
        <museumdat:indexingLocationSet>
          <museumdat:nameLocationSet>
            <museumdat:nameLocation>Ranstädter Steinweg, heute
Jahnallee</museumdat:nameLocation>
          </museumdat:nameLocationSet>
        </museumdat:indexingLocationSet>
      </museumdat:indexingLocationWrap>
    </museumdat:indexingEventSet>
  </museumdat:indexingEventWrap>
  <museumdat:indexingMeasurementsWrap>
<museumdat:indexingMeasurementsSet>

```

```

<museumdat:measurementsSet
  ="9,4" />
  ="Höhe"
  ="cm"
</museumdat:indexingMeasurementsSet>
  </museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMaterialsTechWrap>
    <museumdat:indexingMaterialsTechSet
      ="Technik">
    <museumdat:termMaterialsTech>Gitterguß</museumdat:termMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
  <museumdat:indexingMaterialsTechSet
    ="Material">
    <museumdat:termMaterialsTech>Blei-Zinn-Legierung</museumdat:termMaterialsTech>
  </museumdat:indexingMaterialsTechSet>
  </museumdat:indexingMaterialsTechWrap>
</museumdat:eventWrap>
<museumdat:relationWrap>
  <museumdat:indexingSubjectWrap>
    <museumdat:indexingSubjectSet
      ="Abgebildet">
    <museumdat:subjectTerm
      ="Person">14
  Nothelfer</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
  <museumdat:indexingSubjectSet
    ="Abgebildet">
    <museumdat:subjectTerm
      ="Person">Maria mit
  Kind</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
  <museumdat:indexingSubjectSet
    ="Abgebildet">
    <museumdat:subjectTerm
      ="Gegenstand">Sächsisches
  Rautenwappen</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
  <museumdat:indexingSubjectSet
    ="Abgebildet">
    <museumdat:subjectTerm
      ="Gegenstand">Thüringerisches
  Löwenwappen</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
  <museumdat:indexingSubjectSet
    ="Erwähnt">
    <museumdat:subjectTerm
      ="Person">14
  Nothelfer</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
  <museumdat:indexingSubjectSet
    ="Erwähnt">
    <museumdat:subjectTerm
      ="Ort">Jena</museumdat:subjectTerm>
  </museumdat:indexingSubjectSet>
</museumdat:indexingSubjectWrap>
</museumdat:relationWrap>
</museumdat:descriptiveMetadata>
<museumdat:administrativeMetadata>
  <museumdat:recordWrap>
    <museumdat:recordID
      ="GOS-Nummer">dau00001</museumdat:recordID>
    <museumdat:recordType>Einzelobjekt</museumdat:recordType>
    <museumdat:recordSource>Stadtgeschichtliches Museum Leipzig</museumdat:recordSource>
    <museumdat:recordInfoSet
      ="Datenblatt">
    <museumdat:recordInfoLink>
  http://museum.zib.de/sgml/satz.php?id=dau00001</museumdat:recordInfoLink>
  </museumdat:recordInfoSet>
</museumdat:recordWrap>
<museumdat:resourceWrap>
  <museumdat:resourceSet>

```

```

    <museumdat:linkResource                = "Thumbnail"                = "jpg">
http://museum.zib.de/sgml/bilder/klein/dau00001.jpg</museumdat:linkResource>
    <museumdat:resourceType>Digitalfoto</museumdat:resourceType>
  </museumdat:resourceSet>
</museumdat:resourceWrap>
</museumdat:administrativeMetadata>
</museumdat:museumdat>
<museumdat:museumdat>
  <museumdat:descriptiveMetadata>
    <museumdat:objectClassificationWrap>
      <museumdat:objectWorkTypeWrap>
        <museumdat:objectWorkType                = "museumsvokabular.de/gefaess"
          = "00000014">Flügelglas</museumdat:objectWorkType>
      </museumdat:objectWorkTypeWrap>
    </museumdat:objectClassificationWrap>
    <museumdat:classificationWrap>
      <museumdat:classification                = "SGML-Sammlungsstruktur"
        = "2">Kunst/Kunsthandwerk</museumdat:classification>
      <museumdat:classification                = "SGML-Sammlungsstruktur"
        = "2.6">Kunsthandwerkliche Sondersammlungen</museumdat:classification>
      <museumdat:classification                = "SGML-Sammlungsstruktur"
        = "2.6.2">Glas</museumdat:classification>
    </museumdat:classificationWrap>
  </museumdat:objectClassificationWrap>
  <museumdat:identificationWrap>
    <museumdat:titleWrap>
      <museumdat:titleSet>
        <museumdat:title                = "Bezeichnung">Flügelglas</museumdat:title>
      </museumdat:titleSet>
    </museumdat:titleWrap>
    <museumdat:repositoryWrap>
      <museumdat:repositorySet                = "current">
        <museumdat:repositoryName>Stadtgeschichtliches Museum
Leipzig</museumdat:repositoryName>
      </museumdat:repositorySet>
      <museumdat:workID                = "Inventarnummer">Gl 48</museumdat:workID>
    </museumdat:repositoryWrap>
  </museumdat:identificationWrap>
  <museumdat:descriptionWrap>
    <museumdat:displayCreationDate>1650-1660</museumdat:displayCreationDate>
    <museumdat:displayCreationLocation>Lüttich</museumdat:displayCreationLocation>
    <museumdat:displayMeasurements>H: 33,5 cm (gesamt), H: 25 cm (Schaft), D: 9,0 cm
(Mündung), D: 11,3 cm (Fuß)</museumdat:displayMeasurements>
    <museumdat:displayMaterialsTech>Glas / mundgeblasen,
Abriß</museumdat:displayMaterialsTech>
    <museumdat:descriptiveNoteWrap>
      <museumdat:descriptiveNoteSet                = "Objektbeschreibung">
        <museumdat:descriptiveNote>Lüttich, farbloses Glas, in venezianischer Art. Flacher Fuß,
Schaft ist in sich spiralförmig gedreht, Ansatz balusterförmig, dann Verdickung (innen hohl), an die sich
drei fadenartige Flügel anschließen, Schaft rollt sich dann in entgegengesetzter Richtung schneckenförmig
auf, auch hier wieder zwei fadenartige Flügel; die Gesamtform des Schaftes erinnert an Seepferdchen. Vor
dem Kuppa-Ansatz ein Nodus. Kuppa leicht konisch und unverziert schlicht.Schmuck des venezianischen
Kelchglases bleibt fast immer auf dem Schaft beschränkt, während die Kuppa allein durch Klarheit und
Dünnwandigkeit wirken sollte. Zentren italienischer Glasproduktion: Murano seit 1291, Altare bei Genua;
1428 in Wien Glashütten durch italienische Glasmacher betrieben; 1.H. 16.Jh. weitere Hüttengründungen

```



```

italienischer Glasarbeiter in Österreich, Frankreich, Spanien, Flandern, England, Belmont, Skandinavien,
Deutschland</museumdat:descriptiveNote>
  </museumdat:descriptiveNoteSet>
</museumdat:descriptiveNoteWrap>
</museumdat:descriptionWrap>
<museumdat:eventWrap>
  <museumdat:indexingEventWrap>
    <museumdat:indexingEventSet>
      <museumdat:eventType>Herstellung</museumdat:eventType>
      <museumdat:indexingDates>
        <museumdat:earliestDate>1650</museumdat:earliestDate>
        <museumdat:latestDate>1660</museumdat:latestDate>
      </museumdat:indexingDates>
      <museumdat:indexingLocationWrap>
        <museumdat:indexingLocationSet>
          <museumdat:nameLocationSet>
            <museumdat:nameLocation>Lüttich</museumdat:nameLocation>
          </museumdat:nameLocationSet>
        </museumdat:indexingLocationSet>
      </museumdat:indexingLocationWrap>
    </museumdat:indexingEventSet>
  </museumdat:indexingEventWrap>
  <museumdat:indexingMeasurementsWrap>
<museumdat:indexingMeasurementsSet>
  <museumdat:measurementsSet          = "Höhe"          = "cm"
    = "33,5"/>
  <museumdat:extentMeasurements>gesamt</museumdat:extentMeasurements>
</museumdat:indexingMeasurementsSet>
<museumdat:indexingMeasurementsSet>
  <museumdat:measurementsSet          = "Höhe"          = "cm"
    = "25"/>
  <museumdat:extentMeasurements>Schaft</museumdat:extentMeasurements>
</museumdat:indexingMeasurementsSet>
<museumdat:indexingMeasurementsSet>
  <museumdat:measurementsSet          = "Durchmesser"      = "cm"
    = "9,0"/>
  <museumdat:extentMeasurements>Mündung</museumdat:extentMeasurements>
</museumdat:indexingMeasurementsSet>
<museumdat:indexingMeasurementsSet>
  <museumdat:measurementsSet          = "Durchmesser"      = "cm"
    = "11,3"/>
  <museumdat:extentMeasurements>Fuß</museumdat:extentMeasurements>
</museumdat:indexingMeasurementsSet>
  </museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMaterialsTechWrap>
    <museumdat:indexingMaterialsTechSet          = "Technik">
      <museumdat:termMaterialsTech>mundgeblasen</museumdat:termMaterialsTech>
      <museumdat:termMaterialsTech>Abriß</museumdat:termMaterialsTech>
    </museumdat:indexingMaterialsTechSet>
    <museumdat:indexingMaterialsTechSet          = "Material">
      <museumdat:termMaterialsTech>Glas</museumdat:termMaterialsTech>
    </museumdat:indexingMaterialsTechSet>
  </museumdat:indexingMaterialsTechWrap>
</museumdat:eventWrap>

```

```

    <museumdat:relationWrap>
<museumdat:relatedWorksWrap>
  <museumdat:relatedWorkSet>
    <museumdat:relatedWorkRelType>Dokumentiert in</museumdat:relatedWorkRelType>
    <museumdat:labelRelatedWork>Rodekamp, Volker (Hrsg): Leipzig Stadt der wa(h)ren Wunder. 500
Jahre Reichsmesseprivileg. Katalog zur Ausstellung, Leipzig 1997, S. 207.</museumdat:labelRelatedWork>
  </museumdat:relatedWorkSet>
</museumdat:relatedWorksWrap>
</museumdat:relationWrap>
</museumdat:descriptiveMetadata>
<museumdat:administrativeMetadata>
  <museumdat:recordWrap>
    <museumdat:recordID          = "GOS-Nummer">g0000011</museumdat:recordID>
    <museumdat:recordType>Einzelobjekt</museumdat:recordType>
    <museumdat:recordSource>Stadtgeschichtliches Museum Leipzig</museumdat:recordSource>
    <museumdat:recordInfoSet    = "Datenblatt">
      <museumdat:recordInfoLink>
http://museum.zib.de/sgml/satz.php?id=g0000011</museumdat:recordInfoLink>
    </museumdat:recordInfoSet>
  </museumdat:recordWrap>
<museumdat:resourceWrap>
  <museumdat:resourceSet>
    <museumdat:linkResource    = "Thumbnail"          = "jpg">
http://museum.zib.de/sgml/bilder/klein/g0000011.jpg</museumdat:linkResource>
    <museumdat:resourceType>Digitalfoto</museumdat:resourceType>
  </museumdat:resourceSet>
</museumdat:resourceWrap>
</museumdat:administrativeMetadata>
</museumdat:museumdat>
<museumdat:museumdat>
  <museumdat:descriptiveMetadata>
    <museumdat:objectClassificationWrap>
      <museumdat:objectWorkTypeWrap>
        <museumdat:objectWorkType>Gemälde</museumdat:objectWorkType>
      </museumdat:objectWorkTypeWrap>
      <museumdat:classificationWrap>
        <museumdat:classification    = "SGML-Sammlungsstruktur"
          = "2">Kunst/Kunsthandwerk</museumdat:classification>
        <museumdat:classification    = "SGML-Sammlungsstruktur"
          = "2.1">Gemälde</museumdat:classification>
      </museumdat:classificationWrap>
    </museumdat:objectClassificationWrap>
    <museumdat:identificationWrap>
      <museumdat:titleWrap>
        <museumdat:titleSet>
          <museumdat:title          = "Bezeichnung">Gemälde</museumdat:title>
        </museumdat:titleSet>
      </museumdat:titleWrap>
      <museumdat:repositoryWrap>
        <museumdat:repositorySet    = "current">
          <museumdat:repositoryName>Stadtgeschichtliches Museum
Leipzig</museumdat:repositoryName>
        <museumdat:workID
          = "Inventarnummer">K/657/2001</museumdat:workID>

```

```

    </museumdat:repositorySet>
  </museumdat:repositoryWrap>
</museumdat:identificationWrap>
<museumdat:descriptionWrap>
  <museumdat:displayCreator>Tischbein, Johann Friedrich August (1750-
1812)</museumdat:displayCreator>
  <museumdat:displayMeasurements>90 x 70 cm</museumdat:displayMeasurements>
  <museumdat:displayMaterialsTech>Öl, Leinwand / Öl auf
Leinwand</museumdat:displayMaterialsTech>
  <museumdat:descriptiveNoteWrap>
    <museumdat:descriptiveNoteSet
      = "Objektbeschreibung">
      <museumdat:descriptiveNote>Porträt des Friedrich Schiller, Brustbild, im antiken Kostüm (rote
Toga über einer grünen Tunika, in der Hand eine Pergamentrolle, gesunder Gesichtsausdruck des Dichters
idealisiert, das braune Haar wogt in genialischer Unordnung um den in Halbprofil gekehrten
Kopf.</museumdat:descriptiveNote>
    </museumdat:descriptiveNoteSet>
    <museumdat:descriptiveNoteSet
      = "Objektbeschreibung">
      <museumdat:descriptiveNote>sign. am linken Rand in Höhe des rechten Oberarms (verblasst):
"Tischbein p. 1805"</museumdat:descriptiveNote>
    </museumdat:descriptiveNoteSet>
    <museumdat:descriptiveNoteSet
      = "Objektbeschreibung">
      <museumdat:descriptiveNote>Porträt des Friedrich Schiller, Brustbild, im antiken Kostüm (rote
Toga über einer grünen Tunika, in der Hand eine Pergamentrolle, gesunder Gesichtsausdruck des Dichters
idealisiert, das braune Haar wogt in genialischer Unordnung um den in Halbprofil gekehrten
Kopf.</museumdat:descriptiveNote>
    </museumdat:descriptiveNoteSet>
  </museumdat:descriptiveNoteWrap>
</museumdat:descriptionWrap>
<museumdat:eventWrap>
  <museumdat:indexingEventWrap>
    <museumdat:indexingEventSet>
      <museumdat:eventType>Herstellung</museumdat:eventType>
      <museumdat:indexingActorSet>
        <museumdat:nameActorSet>
          <museumdat:nameActor
            = "personalName">Tischbein, Johann Friedrich
August (1750-1812)</museumdat:nameActor>
          </museumdat:nameActorSet>
          <museumdat:roleActor>Maler</museumdat:roleActor>
        </museumdat:indexingActorSet>
      <museumdat:indexingDates>
        <museumdat:earliestDate>1805</museumdat:earliestDate>
        <museumdat:latestDate>1805</museumdat:latestDate>
      </museumdat:indexingDates>
    </museumdat:indexingEventSet>
  </museumdat:indexingEventWrap>
  <museumdat:indexingMeasurementsWrap>
    <museumdat:indexingMeasurementsSet>
      <museumdat:measurementsSet
        = "Höhe x Breite"
        = "cm"
        = "90 x 70" />
    </museumdat:indexingMeasurementsSet>
  </museumdat:indexingMeasurementsWrap>
  <museumdat:indexingMaterialsTechWrap>
    <museumdat:indexingMaterialsTechSet
      = "Technik">
      <museumdat:termMaterialsTech>Öl auf Leinwand</museumdat:termMaterialsTech>
    </museumdat:indexingMaterialsTechSet>
  </museumdat:indexingMaterialsTechWrap>
</museumdat:termMaterialsTech>

```

```

</museumdat:indexingMaterialsTechSet>
<museumdat:indexingMaterialsTechSet          ="Material">
  <museumdat:termMaterialsTech>Öl</museumdat:termMaterialsTech>
  <museumdat:termMaterialsTech>Leinwand</museumdat:termMaterialsTech>
</museumdat:indexingMaterialsTechSet>
  </museumdat:indexingMaterialsTechWrap>
</museumdat:eventWrap>
<museumdat:relationWrap>
  <museumdat:indexingSubjectWrap>
    <museumdat:indexingSubjectSet          ="Abgebildet">
      <museumdat:subjectTerm          ="Person">Schiller, Friedrich (1759 -
1805)</museumdat:subjectTerm>
    </museumdat:indexingSubjectSet>
    <museumdat:indexingSubjectSet          ="Erwähnt">
      <museumdat:subjectTerm          ="Person">Tischbein, Johann Friedrich
August</museumdat:subjectTerm>
    </museumdat:indexingSubjectSet>
  </museumdat:indexingSubjectWrap>
</museumdat:relationWrap>
</museumdat:descriptiveMetadata>
<museumdat:administrativeMetadata>
  <museumdat:recordWrap>
    <museumdat:recordID          ="GOS-Nummer">gm000736</museumdat:recordID>
    <museumdat:recordType>Einzelobjekt</museumdat:recordType>
    <museumdat:recordSource>Stadtgeschichtliches Museum Leipzig</museumdat:recordSource>
    <museumdat:recordInfoSet          ="Datenblatt">
      <museumdat:recordInfoLink>
http://museum.zib.de/sgml/satz.php?id=gm000736</museumdat:recordInfoLink>
    </museumdat:recordInfoSet>
  </museumdat:recordWrap>
  <museumdat:resourceWrap>
    <museumdat:resourceSet>
      <museumdat:linkResource          ="Thumbnail"          ="jpg">
http://museum.zib.de/sgml/bilder/klein/gm000736.jpg</museumdat:linkResource>
      <museumdat:resourceType>Digitalfoto</museumdat:resourceType>
    </museumdat:resourceSet>
  </museumdat:resourceWrap>
</museumdat:administrativeMetadata>
</museumdat:museumdat>
</museumdat:museumdatWrap>

```